













Wulf-Heinz Pflaumer & Franz Wonisch are working on a venture that would come to be called Umarex.

### 1993

Umarex acquires world renowned arms manufacturer, Carl Walther.

### 2006 UMAREXUSA®

RUAG Ammotec USA, a US distributor of RWS air rifles, is purchased by PW Intl GmbH, moved to Fort Smith, Arkansas and renamed to Umarex USA.

### 2008

Umarex USA expands air rifle line with the introduction of Ruger®, Walther® and Hammerli®.

### 2009

Umarex USA continues to grow doubling sales over 2008 and breaks ground on a new facility.

### 2010

Umarex USA moves into a new manufacturing and warehouse facility at Chaffee Crossing in Fort Smith, Arkansas.

### 2013

Umarex USA welcomes Walther Arms to their campus in Fort Smith, Arkansas, and breaks ground on a 7 million dollar warehouse expansion.

### 2014

Umarex USA introduces the UX mark. The UX is incorporated into airguns and marketing materials creating a powerful mark that is eye-catching and memorable.

### **TODAY**

Umarex continues to innovate and remains the "King of Replicas." No other company offers as many well-known replica handguns. Umarex continues to pave the way for new airgun shooters with its Gauntlet® and innovative big bore introductions.







UMBREX A I R G U N S















# **TABLEOFCONTENTS**

<b>PCP AIR RIFLES</b>	
Umarex®	04-09
AIR RIFLES	
Umarex®	10-12
NXG®	13
RWS®	14-15
Ruger®	16-17
Walther®	18-19
Walther®	20-21
AIR PISTOLS	20.21
Umarex®	22-25
IWI UZI®	25
Browning®	26-27
GLOCK™	28-29
HK®	30-31
Colt®	32-33
Legends	34-35
Smith & Wesson®	36-37
Beretta®	38-39
AMMUNITION	40-43

ACCESSORIES	44-47
AXEON OPTICS	48-59
OPTICAL DYNAMICS	60-65
SPRING AIRSOFT	00 00
	66-71
ELECTRIC AIRSOFT	71-73
CO <sub>2</sub> AIRSOFT	74-79
GREEN GAS AIRSOFT	80-81
<b>COMPETITION AIRSOFT</b>	82-89
ELITE AIRSOFT	90-93
AIRSOFT ACCESSORIES	94-96
PRODUCT SPECS	97-107























# NEW2019PRODUCTS



2255200
NEW!
GLOCK™ 19 GEN3
Pg. 28





2252308 **NEW! HK® VP9®** 

Pg. 30



2253024

NEW! BERETTA® M9A3

Pg. 38

2218656

NEW! AXEON® 4-16X44

GAUNTLET® SCOPE

Pg. 44

2218658 **NEW! NIGHTVUE**Pg. 55

ARX®

2218703 **NEW! AXEON® 1-6X24** 

Pg. 59

**NEW!** UMAREX® ARX® AIRGUN AMMUNITION

Pg. 42

2218114



Pg. 58

2218147 | 2218148 | 2218149 **NEW!** UMAREX® SL

Pg. 42



2218823 NEW! OD40 GEN II

Pg. 63

2230193
NEW! UMAREX® ARX®
MUZZLELOADER
AMMUNITION








3


























THE MOST POWERFUL PRODUCTION AIR RIFLE

**UXX ON THE PLANET** 

### **FEATURES**

- 3 full power regulated shots + 1 finishing shot (4 shots total)
- Ultralight 4500 psi, 24 cu in. carbon fiber tank
- Modern stock design with M-LOK® locations
- Patent-Pending Lightspeed<sup>™</sup> valve
- Carl Walther precision barrel
- Sound absorbing composite full barrel shroud
- Picatinny rail (20 slots, 8.5" long) - light weight machined aluminum rail
- Patent-Pending 2-shot linear magazine, 2 included
- Straight-pull bolt with 2 lb pull weight, 2 in. travel
- Two safeties: magazine lock-out (won't fire w/out mag), trigger block safety

### **LIX FILLING THE HAMMER WITH AIR**

The Umarex® Hammer requires a minimum of 3,000 pounds per square inch of normal atmospheric air to operate—4,500 psi to achieve its three full-power shots. A shop or construction tool compressor won't do the job. Electric high pressure air compressors that are capable of filling 4,500 psi are available and the most convenient. Hand pumps rated at 4,500 psi can be used. In the field, 90 cubic inch SCBA or carbon fiber "buddy" tanks are quite convenient. These tanks also require 4,500 psi when being used with the Hammer and can be filled at air filling stations and willing scuba or dive shops.

ITEM	CALIBER	NUMBER	ACTION	POWER	АММО	VELOCITY	FT. LBS
HAMMER	.50	2252635	Bolt	PCP	ARX® 180 Grain	1130 fps	510 ft. lbs
					250 Grain	1005 fps	560 ft. lbs
		TA			350 Grain	925 fps	665 ft. lbs
				IV I .	550 Grain	760 fps	705 ft. lbs






## FEATURE RICH & NEAR SILENT

To maximize its accuracy capability, the 10-round capacity Gauntlet® is well-balanced and has an integral 11 mm dovetail rail for scope mounting. The easily adjustable stock comb is moved by the turn of a knob and locks into position for the ideal cheek weld, whatever your physique or optic choice. The stock's integral studs allow a sling to be fitted for easy carrying on a hunt. Its fully moderated design means the Gauntlet is incredibly quiet. Both stealthy backyard plinkers, pest controllers, and serious hunters benefit from its ability to provide rapid, near-silent, full-power follow-up shots.

#### **FEATURES**

- 3000 psi, 13 cu in, removable tank
- Pressure regulator (1150 psi for .177 cal. / .22 cal. and 1900 psi for .25 cal.) mean consistent shot strength
- Multi shot repeater
- Bolt action
- Incredibly quiet fully moderate
- Easy Foster quickdisconnect fitting
- Adjustable comb
- Pressure release key
- (2) Rotary magazines (all calibers) & (1) single shot tray included (.177 cal. / .22 cal. only)





### **WITTIPLE FILL OPTIONS**

A 3,000 psi hand pump can be a workout, but according to the 5 Star Reviews it's well worth it. Just keep it topped off after every magazine or two. You can also use an electric high pressure air pump. SCBA and carbon fiber tanks are also great options if you have access to filling stations such as scuba or paintball shops.

#### **LIXE EASY LOAD MAG**

The 10-round rotary magazine is easy to load. Just rotate the clear plate clockwise until it stops. Place your finger under the first pellet chamber and insert a pellet. Rotate the clear plate counterclockwise and load the remaining pellet chambers. No need to keep your finger under the pellet chambers after you've loaded the first pellet.

CALIBER	NUMBER	ACTION	POWER	VELOCITY LEAD	FT-LBS
.177	2252603	Bolt	PCP	1000 fps	15
.22	2252604	Bolt	PCP	900 fps	21
.25	2252605	Bolt	PCP	900 fps	44
.22	2252608	Bolt	PCP	900 fps	21
	.177 .22 .25	.177 2252603 .22 2252604 .25 2252605	.177 2252603 Bolt .22 2252604 Bolt .25 2252605 Bolt	.177 2252603 Bolt PCP .22 2252604 Bolt PCP .25 2252605 Bolt PCP	.177 2252603 Bolt PCP 1000 fps .22 2252604 Bolt PCP 900 fps .25 2252605 Bolt PCP 900 fps





2251361 | 2251363 - 490 fps

**SYRIX** 





Today's modern air rifles use the power of nitrogen filled gas pistons.



The first gas piston that was reversed. This generates more power, more velocity, and more impact.



The Umarex StopShox® is a technologically advanced anti-recoil and anti-vibration system located at the rear of select Umarex-made Air Rifles.



A 5-chamber noise dampener that is permanently affixed to the muzzle of an air rifle and reduce down range muzzle noise.



Engineered to reduce scope movement and vibration, preserving its zero shot after shot.



This all metal mount makes scope mounting easy and ensures your scope remains zeroed in.



Airgun Shock Reinforcement (ASR) Technology that allows the scope to handle the specific recoil of a spring powered airgun.







					T.N.T P	FEAXIS	PISTON STOPS!	oxo.	WCIE!	S RAIL SILENC
ITEM	CALIBER	NUMBER	<b>VELOCITY ALLOY</b>	<b>VELOCITY LEAD</b>	L'W.	REAL	SIO.	100.	MILL	SILL
SYNERGIS	.177	2251323	1200 fps	1000 fps	X			X		
SURGEMAX ELITE	.177	2251317	1200 fps	1050 fps	X				X	
A•REX	.177	2280094	1250 fps	1050 fps	X		X	X		Х
FORGE 490 *	.177	2251360	490 fps	490 fps	X				X	Х
SYRIX	.177	2251361	1200 fps	1000 fps	X					
<b>SYRIX</b> 490 *	.177	2251363	490 fps	490 fps	X					
OCTANE ELITE	.177	2251353	1400 fps	1200 fps		X	X	X		X
OCTANE ELITE	.22	2251354	1200 fps	1000 fps		X	X	X		X
FORGE	.177	2251357	1250 fps	1050 fps	X				X	Х
FUEL	.177	2251313	1200 fps	1000 fps		X		X		X





The Next Generation APX is the genesis of multi-pump air rifles. It redefines the standard of airguns designed for younger and small-framed shooters with a multitude of modern-day features that includes an automatic safety—a feature never before seen on a multi-pump rifle of this type.

The dual ammunition APX features a progressive stock design that's ergonomic, modern and impact resistant. Its grip is designed with a narrow curve that's comfortable for shooters with smaller hands creating better control and a safer shooting environment. The pump action and easy-load pellet ramp is easy to use. The adjustable rear sight and fiber optic front sight, protected by its sleek muzzle brake, allows you to quickly zero in on your intended target. Mounting the scope to the APX is easy with its integrated tactical-style scope mounting rail. All of these features combine to make shooting the Umarex Next Generation APX a target-busting experience for shooters of many ages.

"...given the choice, I will always grab the Umarex NXG APX because it's so much fun to shoot." - Marc A.

"Best multi-pump I have ever owned. Very accurate and easy to zero the scope in. I can shoot pennies from 25 meters." - Daniel W.











ITEM	CALIBER	NUMBER	<b>VELOCITY ALLOY</b>	VELOCITY LEAD	ACTION	POWER
EMBARK	.177	2280050	510 fps	-	Break Barrel	Spring
APX	.177	2251600	800 fps	800 fps	Multi-pump	Pneumatic pump
APX KIT	.177	2251601	800 fps	800 fps	Multi-pump	Pneumatic pump
APX 490 💝	.177	2251602	490 fps	490 fps	Multi-pump	Pneumatic pump
APX KIT 490 🌞	.177	2251603	490 fps	490 fps	Multi-pump	Pneumatic pump







RWS rifles are not only legendary in quality, power, and precision, but also for their longstanding limited lifetime warranty.



- Sleek Minelli Monte Carlo hardwood stock
- Adjustable open rear sight
- Fixed, hooded front sight
- Rubber recoil pad
- Rifled barrel accuracy
- 11mm scope rail
- Single-shot cocking mechanism
- Automatic safety
- Made in Germany, built in the U.S.A.
- Limited lifetime warranty



Spring Piston, Minelli Beechwood Stock



Gas Piston, Minelli Beechwood Stock



### **THE NEW RWS**

The new RWS Models 3400 and 3500 carry on the RWS tradition of quality, power and precision. These rifles feature a precision German crafted action with a smooth and consistent performance specifically made to nestle inside of a sleek Italian Monte Carlo stock. The precisely crafted yet powerful pellet delivering system and elegant Minelli stock meet in America for a build-out that results in RWS Rifles that will last for generations.

ITEM	CALIBER	NUMBER	<b>VELOCITY LEAD</b>	ACTION	POWER
3400	.177	2169054	1000 fps	Break Barrel	Spring
3400	.22	2169055	800 fps	Break Barrel	Spring
3500	.177	2169058	1200 fps	Break Barrel	Spring
3500	.22	2169059	1000 fps	Break Barrel	Spring
3400	.177	2169062	1000 fps	Break Barrel	Gas Piston
3400	.22	2169063	800 fps	Break Barrel	Gas Piston
3500	.177	2169066	1200 fps	Break Barrel	Gas Piston
3500	.22	2169067	1000 fps	Break Barrel	Gas Piston





					Olé	ION	isto, Joh	M Kr.	RAIL
ITEM	CALIBER	NUMBER	VELOCITY ALLOY	VELOCITY LEAD	T.N.T PIE	FON REAXIST	LOCKDO!	MICLEUS	SHENCAIR
RUGER® 10/22®	.177	2244233	700 fps	650 fps					
TARGIS MAX	.177	2244240	1050 fps	1000 fps	X			Х	Х
TARGIS HUNTER MAX	.22	2244241	900 fps	800 fps	X			Х	Х
YUKON MAGNUM	.177	2244229	1350 fps	1150 fps		X	Х		Х
YUKON MAGNUM	.22	2244230	1000 fps	950 fps		Х	Х		Х
AIR MAGNUM	.177	2244030	1400 fps	1200 fps			Х		
AIR MAGNUM	.22	2244029	1200 fps	1000 fps			Х		
AIR HAWK	.177	2244001	1200 fps	1000 fps					
AIR HAWK 490 *	.177	2244002	-	490 fps					
EXPLORER	.177	2244020	-	495 fps					









.177 8-shot pellet mag (2pk) - 2251003 .22 8-shot pellet mag (2pk) - 2251004



.22 8-shot pellet mag (2pk) - 2251004



Powered by One 88g CO<sub>2</sub> Cartridge 8-shot pellet mag (3 pk) - 2252500

							VIBRATION
ITEM	CALIBER	NUMBER	<b>VELOCITY ALLOY</b>	<b>VELOCITY LEAD</b>	ACTION	POWER	WRED
LGU MASTER	.22	2252091	900 fps	800 fps	Under Lever	Spring	X
TERRUS	.177	2252073	1050 fps	930 fps	Break Barrel	Spring	
TERRUS	.22	2252075	800 fps	690 fps	Break Barrel	Spring	
PARRUS	.177	2252087	1300 fps	1105 fps	Break Barrel	Spring	
PARRUS	.22	2252088	1000 fps	940 fps	Break Barrel	Spring	
LGU VARMINT	.22	2252090	900 fps	800 fps	Under Lever	Spring	X
ROTEK	.177	2252081	1000 fps	950 fps	Bolt	PCP	X
ROTEK	.22	2252082	900 fps	850 fps	Bolt	PCP	X
MAXIMATHOR	.22	2252083	1260 fps	1180 fps	Bolt	PCP	X
MAXIMATHOR	.25	2252084	1150 fps	1000 fps	Bolt	PCP	Х
LEVER ACTION	.177	2252003	-	630 fps	Lever	CO <sub>2</sub>	





# CP99® COMPACT

18-shot BB mag (2 pk) - 2252519



### 2252050 **CP88**®

All Metal German Craftsmanship 8-shot pellet mag (3 pk) - 2252500



### 2256010 **PPO**®

8-shot pellet mag (3 pk) - 2252500 8-shot BB mag (3 pk) - 2252552



### 2252054 CP88° COMP

All Metal German Craftsmanship 8-shot pellet mag (3 pk) - 2252500



					SINGLE	DOUBLE
ITEM	NUMBER	VELOCITY	АММО	CAPACITY	SIMD.	DOOL
PPS® M2	2252412	340 fps	BBs	18-shot	X	
P38®	2252730	400 fps	BBs	20-shot	X	X
PPK/S®	2252409	295 fps	BBs	15-shot	X	
CP99®	2252201	360 fps	Pellets	8-shot	X	X
CP99® COMPACT	2252206	345 fps	BBs	18-shot	X	
CP88®	2252050	400 fps	Pellets	8-shot	Х	X
CP88® COMP	2252054	450 fps	Pellets	8-shot	X	X
PPQ®	2256010	360 fps	Pellets or BBs	8-shot		X





2254821 **T-D-P 45** 

> 19-shot BB mag (2 pk) - 2253517



2230030 **DX•17** 

100 Steel BBs and 100 Pellets Included



2254804 **X•B•G** 

19-shot BB magazine (2 pk) - 2253517



# SPEEDLOADER

4 Adapters Included

### COMPATIBILITY:

Walther® CP99® Compact
Walther® P38®
Walther® PPK/S®
Beretta® Elite II
Umarex® T•D•P 45
Beretta® 90-TW0
Umarex® Morph•3X
Umarex® X•B•G
S&W® MP40



					SINGLE	DOUBLE
ITEM	NUMBER	VELOCITY	AMMO	CAPACITY	SIME	000,
MCP KIT	2252118	410 fps	BBs	19-shot		Х
SA10	2252113	420 fps	Pellets or BBs	8-shot	X	X
BRODAX	2252109	375 fps	BBs	10-shot	X	Х
T•A•C	2254824	410 fps	BBs	19-shot		X
T•D•P 45	2254821	410 fps	BBs	19-shot		X
X•B•G	2254804	410 fps	BBs	19-shot		X
DX•17	2230030	250/200 fps	Pellets or BBs	1-shot/15-shot	X	
SPEEDLOADER	2252502	-	BBs	250		-





# 2252600 **MORPH-3X**

3 Airguns in 1 - Rifle, Pistol, Carbine, CO<sub>2</sub> Powered Includes: Pistol, Barrel, Rifle Stock, Forearm Grip with Fiber Optic Sight



30-shot drop-free mag



6-Shot Burst! "Full-Auto" Action! 300rd Reservoir

Drop-out CO<sub>2</sub> magazine - 2254854



2252155

### STEEL•STORM

6-Shot Burst! "Full-Auto" Action! 2x12 gram CO<sub>2</sub> Powered

### **INNOVATIVE UMAREX® TECHNOLOGIES**



A noise dampener that is permanently affixed to the muzzle of an airgun and reduces down range muzzle noise.



Many of today's modern air rifles use the power of nitrogen filled gas pistons.



2251348 **TREVOX** 

Turbo Nitrogen Technology Gas Piston System SilencAir 3 Chamber Noise Dampener

> 2251350 | 2251351 **STRIKE-POINT**

Multi-pump and Variable Power SilencAir 3 Chamber Noise Dampener



ITEM	NUMBER	VELOCITY	АММО	CAPACITY	ACTION	POWER	SMGLE	DOUBLE
MORPH•3X	2252600	600/450 fps	BBs	30-shot	Semi-Auto	CO <sub>2</sub>		Х
STEEL•STRIKE	2252120	400 fps	BBs	30-shot	Semi-Auto	CO <sub>2</sub>		Х
STEEL•FORCE	2254855	430 fps	BBs	30-shot	Semi-Auto	CO <sub>2</sub>		Х
STEEL•STORM	2252155	430 fps	BBs	30-shot	Semi-Auto	CO <sub>2</sub>		X
TREVOX	2251348	600 fps	Pellets	1-shot	Break Barrel	T.N.T	X	
STRIKE•POINT .177	2251350	600 fps	Pellets	1-shot	Bolt	Multi-pump Pneumatic	X	
STRIKE•POINT .22	2251351	500 fps	Pellets	1-shot	Bolt	Multi-pump Pneumatic	X	
UZI® MINI CARBINE	2256103	390 fps	BBs	28-shot	Semi-Auto	CO <sub>2</sub>		X





ITEM	CALIBER	NUMBER	<b>VELOCITY ALLOY</b>	VELOCITY LEAD	ACTION	POWER
BUCK MARK® URX	.177	2252270	360 fps	320 fps	Break Barrel	Spring







### **GLOCK™ AUTHENTICITY**

With millions of GLOCK<sup>™</sup> firearms in the hands of North American consumers, it was imperative that our .177 caliber GLOCK<sup>™</sup> replicas be authentic in every possible way. We worked hard to make our replicas feel and handle just like the Gen 3 and Gen 4 variations they are based on.



### **NEW! GLOCK™ 17 GEN3**

Blowback Action Slide

2255208

18-shot drop-free metal magazine - 2255209



### 2255202 NEW! GLOCK™ 17 GEN4


Enhanced Blowback Action Slide

18-shot drop-free metal magazine - 2255203



### **OFFICIALLY LICENSED**

In just a few decades one brand went from having just been created to being a household name. How did they do it? GLOCK™ built a product with anvil-like reliability that was easy to operate and shoot accurately. The concept was rewarded with the loyalty of millions of shooters across the globe. Umarex is proud to partner with this winning team in creating .177 caliber replicas of the storied GLOCK™ line of pistols. For the first time in GLOCK™ history, shooters can now experience officially licensed GLOCK™ replica airguns offered exclusively by Umarex for recreational sport shooting.



ITEM	NUMBER	VELOCITY	АММО	CAPACITY	SINGLE	DOUBLE	BLOWBACK
GLOCK™ 19 GEN3	2255200	410 fps	BBs	15-shot		X	
GLOCK™ 17 GEN3	2255208	365 fps	BBs	18-shot	X	X	X
GLOCK™ 17 GEN4	2255202	320 fps	BBs	18-shot	X		X







2252306 **HK**<sup>®</sup> **USP**<sup>®</sup>

Realistic Blowback Action 16-shot drop-free magazine - 2252307



2252304 **HK<sup>®</sup> HK45** 

20-shot drop-free magazine - 2252305



2252300 **HK**<sup>®</sup> **USP**<sup>®</sup>

22-shot drop-free magazine - 2252301

### **LIK NO COMPROMISE**

For over half a century, Heckler & Koch has been a leading designer and manufacturer of small arms and light weapons for law enforcement and military forces worldwide. HK is also the maker of premier brand firearms for the sporting and commercial markets. Replica HK airguns offered by Umarex embody the reputation for quality, innovation, and safety that makes Heckler & Koch a recognized leader in firearms.

### **LIK** KEY FEATURES

- HK replica air pistols fit duty holsters
- True to shape and form
- Ideal for practice, drills, and target shooting



2252302 **HK® P30®** 

Dual Ammo - BB or Pellet, Made in Germany 8-shot rotary magazine (2 pk) - 2252500 15-shot drop-free magazine - 2252303



### 2252330 **HK® MP5®K-PDW**

CO<sub>2</sub> Powered, Semi-Auto Action, 40-Shot Drop-Free Magazine



ITEM	NUMBER	VELOCITY	АММО	CAPACITY	SINGLE	DOUBLE	BLOWBAC
HK® VP9®	2252308	350 fps	BBs	18-shot		X	X
HK® USP®	2252306	325 fps	BBs	16-shot	X	X	X
HK® HK45	2252304	400 fps	BBs	20-shot		X	
HK® USP®	2252300	400 fps	BBs	22-shot		X	
HK <sup>®</sup> P30 <sup>®</sup>	2252302	360 fps	Pellets or BBs	8-shot or 15-shot	X	X	
HK® MP5®K-PDW	2252330	400 fps	BBs	40-shot		X	



### **CLT.** FAMOUS AND PROLIFIC

Since its first U.S. Patent in 1836, Colt has been providing quality firearms to the U.S. Military and continues to do so today. Colt replica airguns honor that tradition with various offerings of the most prolific pistol platform, the 1911, and the Single Action Army revolver, the most famous handgun in firearm history.

### **OLT.** DID YOU KNOW?

The Colt Single Action Army revolver is the most famous handgun in firearm history.

The U.S. Government officially adopted the Colt Model 1911 as its standard firearm in 1911.

The Colt Commander was introduced in 1950 and incorporated a lightweight alloy frame.



### 2254020 **DEFENDER®**

All Metal Frame Fast-Action Semi-Auto BB Repeater



### 2254028 **COMMANDER®**

Blowback, All Metal Frame 18-shot drop-free magazine - 2254029



### 2254000 GOVERNMENT **MODEL® 1911 A1**

German Made, All Metal Craftsmanship 8-shot rotary magazine (3 pk) - 2252500



ITEM	NUMBER	VELOCITY	АММО	CAPACITY	SINGLE	DOUBLE	BLOWBACK
PYTHON®	2254040	410 fps	BBs	10-shot	X	X	
PEACEMAKER®	2254048	410 fps	BBs	6-shot	X		
PEACEMAKER®	2254051	380 fps	Pellets	6-shot	X		
M45 CQBP	2254045	400 fps	BBs	19-shot	X		X
DEFENDER®	2254020	410 fps	BBs	16-shot		X	
COMMANDER®	2254028	325 fps	BBs	18-shot	X		Х
GOVERNMENT Model® 1911 A1	2254000	425 fps	Pellets	8-shot	x		







2251813 **MP** 

All Metal, Full Blowback 52-shot drop-free magazine - 2251814



					SINGLE	DOUBLE	FULAU	BLOWBAC
ITEM	NUMBER	VELOCITY	AMMO	CAPACITY	SIME	DOOL	FULL	BLU
COWBOY RIFLE	2251817	600 fps	BBs	10-shot	X			
ACE IN THE HOLE	2251816	340 fps	Pellets	6-shot	X			
MAKAROV	2252232	380 fps	BBs	18-shot	X	X		
M712	2251807	360 fps	BBs	18-shot		X	X	Х
P.08	2251800	410 fps	BBs	21-shot		X		
P.08 BLOWBACK	2251803	300 fps	BBs	21-shot	X			Х
MP	2251813	465 fps	BBs	52-shot		Х	X	Х









2255003
686

All Metal German Craftsmanship
10-shot rotary magazine
(3 pk) - 2255500



ITEM	NUMBER	VELOCITY	АММО	CAPACITY	SWELE	DOUBLE	BLOWBACK
M&P 40	2255053	300 fps	BBs	15-shot	Х		Х
M&P 40	2255050	410 fps	BBs	19-shot		X	
M&P 40	2255051	410 fps	BBs	19-shot		X	
M&P 45	2255060	370 fps	Pellets or BBs	8-shot	Х	X	
586	2255000	400 fps	Pellets	10-shot	Х	X	
586	2255001	425 fps	Pellets	10-shot	Х	X	
686	2255003	400 fps	Pellets	10-shot	X	X	
327 TRR8	2252672	400 fps	BBs	6-shot	X	X	



**APX** 





### 2253003 **ELITE II**

19-shot magazine (2 pk) - 2253517



2253000 | 2253001 | 2253002

### M 92 FS

All Metal, German Craftsmanship 8-shot rotary magazine (3 pk) - 2252500





### 2253004 **PX4 STORM**

Blowback, Dual Ammo 16-shot dual-ended magazine (3 pk) - 2253515



2253005

CX4 STORM

30-shot belt magazine - 2253516 Compensator - 2251005

					SMGLE	DOUBLE	FUL-AUT	BLOWBAC
ITEM	NUMBER	VELOCITY	АММО	CAPACITY	SINL	DODY	FULL	BLU.
M9A3	2253024	330 fps	BBs	18-shot	X	X	X	X
M92 A1	2253017	310 fps	BBs	18-shot	X	X	X	X
АРХ	2253020	395 fps	BBs	20-shot		X		X
MOD. 84FS	2253015	360 fps	BBs	17-shot	X			X
ELITE II	2253003	410 fps	BBs	19-shot		X		
M 92 FS	2253000	425 fps	Pellets	8-shot	X	X		
M 92 FS	2253001	425 fps	Pellets	8-shot	X	X		
M 92 FS	2253002	425 fps	Pellets	8-shot	X	X		
PX4 STORM	2253004	380 fps	Pellets or BBs	16-shot	X	X		X
CX4 STORM	2253005	600 fps	Pellets	30-shot				



2315030 | 2404458

### **MEISTERKUGELN**

Precision Pellets For Air Rifles.



2317406 | 2317407 | 2317380

The Airgunner's Go-To Pellet Shape.



2317414 **POWER BALL** 

FIELD LINE

Kal. 4,5 mm Cal. .177

Designed For Maximum Penetration. Extremely Accurate.



2315034

### **MEISTERKUGELN PISTOL**

The Best Pellet For CO<sub>2</sub> Pistols.



POWER PIERCING

2317420

### **POWER PIERCING**

Maximum Impact and Expansion. Excellent Pest Control Pellet.



2317400 | 2317401 **HOBBY** 



The Best For Target Practice.



### THE RIGHT AMMUNITION FOR THE JOB

The RWS line of pellets has a product for you no matter what type of shooting you do. From basic backyard plinking ammo to heavy hunting pellets to individually packed 10 meter competition ammo, RWS precisely forms lead and alloys into premium projectiles for discriminating shooters all over the world.

### 2317403 | 2317404 | 2317383 **SUPER-H-POINT**

SUPER-H-POINT

SIELD LINE

SO 100

Co. Line

Co. Line

Co. Line

Co. Line

Maximum Impact On Target.

### 2315052 | 2317338 **HYPERMAX**

Fast Alloy Pellets. 30% Faster Than Lead Pellets.



2317409 | 2317410 SUPERPOINT EXTRA



The Pellet Needed For Deep Penetration.

### 2315012 | 2315014 | 2315018 **R 10 MATCH PLUS**

The Choice Of Champions.



2315042 SUPERMAG

Ideal For Faster Air Rifles.



### 2135900

### **RWS PELLET SAMPLER**

### Includes

.177 cal. Meisterkugeln Pellets, 100 Pieces

.177 cal. Superdome Pellets, 100 Pieces

.177 cal. Hobby Pellets, 100 Pieces

.177 cal. Superpoint Pellets, 100 Pieces

.177 cal. Super-H-Point Pellets, 100 Pieces



ITEM	NUMBER	CALIBER	GRAIN	QUANTITY
POWER BALL	2317414	.177	9.4	200 per tin
POWER PIERCING	2317420	.177	8.9	200 per tin
MEISTERKUGELN	2315030	.177	8.2	500 per tin
MEISTERKUGELN	2404458	.22	14.0	250 per tin
MEISTERKUGELN PISTOL	2315034	.177	7.0	500 per tin
HOBBY	2317400	.177	7.0	300 per tin
HOBBY	2317401	.22	11.9	200 per tin
SUPERDOME	2317406	.177	8.3	300 per tin
SUPERDOME	2317407	.22	14.5	200 per tin
SUPERDOME	2317380	.25	31.0	150 per tin
DIABOLO	2317398	.177	7.0	300 per tin
SUPER-H-POINT	2317403	.177	6.9	300 per tin
SUPER-H-POINT	2317404	.22	14.2	200 per tin
SUPER-H-POINT	2317383	.25	25.0	150 per tin
SUPERPOINT EXTRA	2317409	.177	8.2	300 per tin
SUPERPOINT EXTRA	2317410	.22	14.5	200 per tin
SUPERMAG	2315042	.177	9.3	500 per tin
HYPERMAX	2315052	.177	5.2	100 per box
HYPERMAX	2317338	.22	9.9	80 per box
R 10 MATCH PLUS	2315012	.177	8.2	500 per box
R 10 MATCH PLUS	2315018	.177	7.0	500 per tin
R 10 MATCH PLUS	2315014	.177	8.2	500 per tin
PELLET SAMPLER	2135900	.177	various	100 x 5 per box





2230193

# **NEW! UMAREX®** AMMUNITION

100 Grains of Pvrodex® Produce 1845 fps and 1450 ft.lbs. of Energy at 15 Yards

- Lead free •
- .50 cal, 180 grain, 15 ct. •
- Maximum energy on impact
  - Patented groove design •

# **NEW!** UMAREX® SPEEDBELT™ ARX®

.50 cal, 180 grain, 20 ct. - Hammer Velocity 1130 fps Made for the Umarex® Hammer.



### ARX THE NEXT GENERATION OF HUNTING AMMO TECHNOLOGY

The patented ARX® lead-free bullet from Inceptor® Ammunition is designed with unmatched energy transfer that disperses kinetic energy both forward and laterally, producing excellent knockdown power. Hydraulic displacement produces terminal wound channels rivaling and exceeding traditional expanding bullets. After entering soft tissue, the specially designed grooves in the nose of the non-expanding ARX® bullet constrict, pressurize and eject fluid at 1.5 to 2 times the directional speed of the bullet.

ARX® is an U.S. registered trademark of Quantum Ammunition, LLC.

2218147

### **NEW!** UMAREX® SLA-SOLID LEAD AMMO

.50 cal, 250 grain, 20 ct - Hammer Velocity 1005 fps



2218148

### **NEW!** UMAREX®SLA-SOLID LEAD AMMO

.50 cal, 350 grain, 20 ct - Hammer Velocity 925 fps



2218149

### **NEW!** UMAREX® SLA-SOLID LEAD AMMO

.50 cal, 550 grain, 20 ct - Hammer Velocity 760 fps

- . Made in the USA
- · Optimized for the Hammer
- . Maximum expansion and hydrostatic shock




**AMMUNITION** 



### **BLANK AMMUNITION**

**Crimped Brass** 



NUMBER	CALIBER	COUNT	LOAD REPORT
2252750	6 mm K	100	100 dB
2252751	.22 Long K	100	100 dB
2252752	9 mm R.K. (revolver)	50	100 dB
2252753	9 mm PAK (automatic)	50	100 dB
2252754	8 mm K (automatic)	50	100 dB
2252755	.22, 6 mm	100	100 dB

**HORNADY® BLACK DIAMOND STEEL BBs** 

Anodized Black Finish

# **PRECISION STEEL BBs**





2252533

### 12 GRAM CO<sub>2</sub> CAPSULES

12 Pack The Best CO<sub>2</sub> For Optimum Performance From Your Airguns.



2252534

88 GRAM CO<sub>2</sub> CAPSULES

2 Pack





ITEM	NUMBER	INCLUDES
BIG BLAST TARGET CAPS	2211187	[10] caps, [1] mesh bag, [1] tie string, [2] air pump needles
BIG BLAST INFLATOR KIT	2211188	[10] caps, [1] mesh bag, [1] tie string, [2] air pump needles, [1] foot pump
BIG BLAST TWO PACK	2280085	[2] caps, [1] mesh bag, [1] tie string

NUMBER	DESCRIPTION
2251005	Beretta® Cx4 Compensator
2253516	Beretta® Cx4 Mag., .177 cal., 30 rds
2253025	Beretta® M9A3 Mag., .177 cal., 18 rds
2253016	Beretta® Mod. 84FS Mag., .177 cal., 17 rds
2253019	Beretta® Mod. 92A1 Mag., .177 cal., 18 rds
2253515	Beretta® Px4 Mag., .177 cal., 16 rds
2254046	Colt® M45 CQBP Mag., .177 cal., 19 rds
2254049	Colt® Peacemaker® BB Casings, .177 cal. (6 pk.)
2254052	Colt® Peacemaker® Pellet Casings, .177 cal. (6 pk.)
2255201	GLOCK™ 19 Mag., .177 cal., 16 rds
2255203	GLOCK™ 17 Mag., .177 cal., 18 rds
2255209	GLOCK™ 17 Mag., .177 cal., 18 rds
2252309	HK® VP9® Mag., .177 cal., 18 rds
2251801	Legends P.08 Mag., .177 cal., 21 rds
2251804	Legends P.08 Blowback Mag., .177 cal., 21 rds
2251808	<b>Legends M712 Mag.</b> , .177 cal., 18 rds
2254049	Legends Cowboy Rifle Spare Casings., .177 cal., (6 pk.)
2253517	Mag., .177 cal., 19 rds (2 pk.), fits Beretta® Elite II; Umarex® XBG, TDP45, and TDP45 TAC; S&W MP40
2252233	Makarov Mag., .177 cal., 18 rds
2252500	Rotary Mag., .177 cal., 8 rds (3 pk.), fits Walther® PPQ®, CP99®, CP88®, CP88® Competition, and Lever Action Rifle; Colt® Government Model® 1911 A1; S&W M&P 45; Beretta® M 92 FS; HK® P30®
2254041	Rotary Mag., .177 cal., 10 rds, fits Colt® Python® Polymer and Umarex® Brodax (3 pk.)

2251325 Umarex® Synergis RapidMag™, .177 cal., 12 rds 2255500 S&W 586/686 Rotary Mag., .177 cal., 10 rds (3 pk.) 2255055 S&W MP40 Blowback Mag., .177 cal., 15 rds 2252673 S&W 327 TRR8 Casings, .177 cal. (6 pk.)

2252674 S&W 327 TRR8 Speedloader

2211235 Umarex® 12g CO<sub>2</sub> Adapter Set

2256104 IWI UZI® Carbine Mag., .177 cal., 28 rds

### **MAGAZINES & ACCESSORIES**

NUMBER	DESCRIPTION
2252552	Walther® PPQ® & SW M&P 45 Mag., .177 cal., 8 rds (3 pk.)
2252513	Walther® CP99® CO <sub>2</sub> Mag.
2252519	Walther® CP99® Compact Mag., .177 cal., 18 rds (2 pk.)
2252733	Walther® P38® Mag., .177 cal., 20 rds
2252413	Walther® PPS® M2 Mag., .177 cal., 18 rds

### **AIRGUN MAINTENANCE**

	AIRGUN MAINTENANCE
NUMBER	DESCRIPTION
2211000	Umarex® .177/.22 Cleaning Kit — Includes 33 in. flexible cleaning rod, .177/.22 nylon brushes, .177/.22 cleaning mops, .177/.22 cleaning jags, [25] cleaning pads, flexible cleaning rod retaining grommet, multi-functional handle, 6 bit driver set with [2] flat blades, [2] phillips heads, [1] 3 mm hex head, [1] 4 mm hex head, .22 thread adapter
2201125	RWS .177 Shooter's Kit – Includes [250] RWS Meisterkugeln pellets, [250] RWS Superdome pellets, [25] .177 cal. cleaning pellets, [1] 3-piece cleaning rod, [1] .177 cal. brush, [1] .177 cal. jag, [1] 1/2 oz. RWS Chamber Lube, [1] 1 oz. RWS Spring Cylinder Oil, [10] 4 in. x 4 in. targets, [1] applicator needle
2201124	RWS .22 Shooter's Kit – Includes [500] RWS Superdome pellets, [25] .22 cal. cleaning pellets, [1] 3-piece cleaning rod, [1] .22 cal. brush, [1] .22 cal. jag, [1] 1/2 oz. RWS Chamber Lube, [1] 1 oz. RWS Spring Cylinder Oil, [10] 4 in. x 4 in. targets, [1] applicator needle
2167512	RWS 1/2 oz. Chamber Lube and Applicator Needle
2167511	RWS 1 oz. Spring Cylinder Oil
2167520	Applicator Needle
2193817	RWS .22 Cleaning Pellets, 80 qty

2201933 RWS .177 Cleaning Pellets, 100 qty





2219102

### **UMAREX® LASER BLOWGUN**

Includes [1] Laser Blowgun, [6] Long Wire Darts, [6] Short Wire Darts, [6] Practice Darts, [1] Carry Bag, [1] Shoulder Strap, [3] LR44 Button Cell Batteries



### 2219002

### **UMAREX® X•SHOT LE**

Built-In Laser Sight Push Button Auto Feed System Storage System Holds 8 Rounds of 3/8 in. Ammo

2219000 **NXG<sup>®</sup> ST11** 

Compact Folding Wrist Lock Design



### **'PRIMITIVES' DON'T HAVE TO BE LOW TECH**

Some shooting devices have been around for a long, long time. The humble blowgun and sling shot have changed a little over the years, but we've given them modern upgrades! Check out our aiming assist technologies, auto feed ammo storage solutions and integrated lasers that help you aim. Wrist rests for stabilization, magnetic ammo pockets and contoured grips are all modern-day enhancements that allow you to keep the backyard fun rolling all day.



2219003

# UMAREX® STEEL SLINGSHOT AMMO

3/8 in. Diameter, 100 Count



2219004

### UMAREX® GLASS SLINGSHOT AMMO

Hardened Glass 1/2 in. Diameter, 75 Count





# UMAREX® AIRGUNS COFFEE MUG

15 oz. Capacity

### 2211065

### **UMAREX® BLACK HAT**

One size fits most, Black with white thread accents, Velcro adjustment

### 2211066

### **UMAREX® AIRGUNS MESH HAT**

One size fits most, Black cloth front with white thread accents, White mesh back, Press-button adjustment  $\,$ 









# SIGHT IN AT 100 BE ON AT 330 OR 530 YDS

### **)**(

### BE A LONG RANGE SHOOTER

The Second Zero is an incredibly simple and fast shooting solution for shooters and hunters who have target opportunities at greater distances than their zero is set. This precision optical prism was developed by John Baker of TACOMHQ as a fast firing solution for shooters who need rapid access to an alternate zero. The Second Zero is available in both Picatinny rail and scope bell mount configurations as well as a 4.3 MOA/330 Yard Zero and an 11.5MOA/530 Yard Zero. Hitting dead on at greater distances has never been easier. Simply zero in your rifle at 100 vards and engage the Second Zero device and you have now created a no quesswork additional zero.



# NEW! SECOND ZERO®

Rail Mount 330 Yard Second Zero 4.3 MOA Shift For Most Optic Sizes



## NEW! SECOND ZERO®

Rail Mount 530 Yard Second Zero 11.5 MOA Shift For Most Optic Sizes



### **KEY FEATURES**

- + When engaged, shifts visual position of scope's crosshairs to its additional zero.
- + Compensates for holdover at a specified distance.
- + Increases long range accuracy.
- + Easily mounts to Picatinny, Weaver rails or scopes.
- + Multi-coated lenses.
- + Recoil resistant.
- + No batteries and works in all temperatures.

Additional zero distances of 330 and 530 yards can fluctuate depending on ammunition ballistics, equipment, conditions, and shooting technique. The Second Zero® is intended to get you in an 8 inch kill zone.



ITEM	NUMBER	ADDITIONAL ZERO	MOA	SCOPE OBJECTIVE
SECOND ZERO®	2218623	330 yds	4.3 MOA	50 mm
SECOND ZERO®	2218624	530 yds	11.5 MOA	50 mm
SECOND ZERO®	2218613	330 yds	4.3 MOA	40 mm - 44 mm
SECOND ZERO®	2218614	530 yds	11.5 MOA	40 mm - 44 mm
SECOND ZERO®	2218608	330 yds	4.3 MOA	24 mm - 56 mm
SECOND ZERO®	2218609	530 yds	11.5 MOA	24 mm - 56 mm





# ONE SHOT ZERO

### **)**(

### WHY THE ABSOLUTE ZERO®?

The Absolute Zero® saves time, money, and ammo when you head out to the range to zero in your rifles. Set up is fast with the new quick attach mount. After just one one shot and alignment of your aiming apparatus with the bullet's point of impact you're zeroed. It saves you ammo, which means it saves you money. The Absolute Zero® works across many platforms. Whether you shoot a slug gun, magnum rifle, rimfire, pellet gun, or crossbow, you can use the Absolute Zero to get zeroed in. By firing only one shot you achieve cold barrel accuracy—a feat not possible if you've shot a box of ammo while zeroing in your rifle.



### **KEY FEATURES**

- + Easy 1-Shot Zero at 25 Yards!
- + Saves ammo, time and money
- + Works with most calibers/gauges
- + Cross platform centerfire, rimfire, airgun
- + Cold barrel accuracy
- + Dual lasers eliminate cant and movement
- + Mount fits 1-inch and 30 mm scope tubes
- + Requires 7/8" of scope tube clearance to mount device
- + Mounts to a Picatinny rail with included Pic to Pic adapter



ITEM	NUMBER	BATTERY	LASER	TUBE SIZE
<b>ABSOLUTE ZERO®</b>	2218600	(2) CR2	RED	1 in. / 30 mm





# AM3 MONOCULAR

8x32 mm



### **NIGHT OR DAY**

Some devices are just handy to have around, but others, like the Axeon® AM3, are actually useful. The AM3 is a combination monocular and light with a size and weight small enough for a jacket pocket. It is a must-have for close-range hunting. The bright LED light provides ample illumination for the early morning hike to the stand and the 8x magnification is handy to quickly glass well over 50 yards. Around the house using the combination light and monocular reveals the cause of that sudden bump in the night. The compact Axeon AM3 is also handy for the nose bleed section at your favorite stadium.



### **KEY FEATURES - AM3**

- + 8X magnification
- + Integrated 250 lumen light
- + Light size adjustable
- + Rubber E-Z grip
- + BaK-4 Prism Glass
- + Water and fog proof
- + Compact, lightweight design in all-weather polymer housing





ITEM	NUMBER	BATTERY	LUMENS	F.O.V	EYE RELIEF	RUN TIME
NIGHTVUE™	2218658	Rechargeable	-	13 ft @ 100 yds	-	60 MIN
AM3	2218603	(2) CR123A	250 LED	390 ft @ 1000 yds	0.75 in.	60 MIN







Installs in place of magazine tube cap +

# QUICK TARGET ACQUISITION



1		
	RPROOF WARROW OR ON	Ç

						WATERPH	SHOCKPHI	FOG PROU
ITEM	NUMBER	RETICLE	BRIGHTNESS	COLOR	<b>RUN TIME</b>	WAIL	SHOP	kon,
R47	2218637	4	7	RED	500 HRS		Х	
RG49	2218638	4	9	RED / GREEN	500 HRS		X	
3XRDS	2218640	3	3	RED / GREEN / BLUE	150 HRS	X	X	X
1XRDS	2218639	1	11	RED	150 HRS	X	X	X
SHOTLIGHT 120	2218634	-	120 LUMEN	WHITE	30 MIN		X	
SHOTLINE 650	2218631	-	650 nm	RED	30 MIN		X	










### RIFLE SCOPE FEATURES

- + Super-light
- + Crystal clear sight picture
- + Multiple lens coatings
- + Durably shockproof
- + Waterproof and fog proof
- + Genuine Nitrogen filled
- + Long eye relief
- + Large field of view
- + Finger adjustable turrets
- + Adjustable focus
- + Flip-caps included
- + Limited Lifetime Warranty



### INGENIOUS TECHNOLOGY & LEADING FEATURES

Creative thinking and innovative engineering have led to the creation of a technologically infused line of optic devices designed specifically for the shooter. With technology at the forefront, the features of Axeon® Optics are designed, machined and assembled to give you long lasting clarity, dependability, and ease of use. These technologies and features are fused together using modern-day manufacturing methods to create affordable optics that clearly get you on target without compromising build quality, use or reliability.



ITEM	NUMBER	WIND./ELEV	CLICK VALUE	F.O.V	EYE RELIEF	TUBE SIZE
4-16X44	2218657	30 MOA	1/4 MOA	23.6 - 5.9 @ 100 yds	3.5 in.	1 in.
2-7X32	2218700	30 MOA	1/4 MOA	50.2 - 14.2 @ 100 yds	3.5 in.	1 in.
3-9X40	2218701	30 MOA	1/4 MOA	33.3 - 11.1 @ 100 yds	3.5 in.	1 in.
4-12X40	2218702	30 MOA	1/4 MOA	25 - 8.3 @ 100 yds	3.5 in.	1 in.
1-6X24	2218703	30 MOA	1/2 MOA	100 - 17 @ 100 yds	3.5 in.	30 mm








DIRECT PROJECTION TECHNOLOGY

2218800 | 2218801



**OD40** 

- Direct Projection Technology
- Direct projected beam of optically pure natural light
- Identify objects in the dark up to 235 yards
- Utilizes 720 Lumen XM-L2 CREE® LED
- Simple Bell-turn focus
- State of the art, fully multi-coated optical lenses
- Machined aircraft-grade aluminum housing
- IPX7 Waterproof | IPX6 Dust Proof
- 2 x CR123A battery operated
- Scope and firearm mountable
- Amber and Green lens filters included
- Cordura® zip-close storage case



### LIGHT GETS PROJECTED WITHOUT BEING REFLECTED

Reflected light spills far and wide, wasting much of the light generated by flashlights, which is inefficient. The direct light from an OD40 is optically pure and does not spill, so all of the light produced is projected onto the subject, making it much easier to identify what you are trying to see at great distances.



- 20% Brighter than original OD40
- Three brightness settings
- USB rechargeable batteries with charger and cord
- Direct projected beam of optically pure natural light
- Identify objects in the dark up to 235 yards
- Simple Bell-turn focus

- Machined aircraft-grade aluminum housing
- State of the art optical lenses
- Pure, clean and powerful
- IPX7 Waterproof | IPX6 Dust Proof

**NEW! OD40 GEN II** 

2218823 | 2218824

- Scope and firearm mountable
- Cordura® zip-close storage case
- CREE® XL2 LED

The fact is, direct light illuminators are not flashlights. A flashlight loses over 50% of its potential light projecting performance through reflection. Just look at the broken or dirty light your flashlight gives off. An Optical Dynamics Direct Light Illuminator is the un-flashlight. Its light is projected directly from the source. It doesn't bounce off anything, but instead is gathered and kept pure and clean by a series of optical lenses into a direct, focusable beam. You don't want to look in the beam of a direct light illuminator—it's like looking at the sun.





### **ANIMALS DON'T FLARE**

Pure, direct projected, natural light is so clean the waves of light are unaltered. This means animals do not flare or scare from an Optical Dynamics Direct Light Illuminator. Unlike reflected lights that disperse "dirty" and "unnatural" light waves, Direct Projection Technology produces the highest quality illumination available today.



OD40 Mount system - 2218803



0D40 Cord switch - 2218802



OD40 Gen II Cord switch - Included in kit.

ITEM	NUMBER	DISTANCE	F.O.V.	LED CHIP MAX. OUTPUT	COLOR	RUN TIME	LENS DIAMETER
0D40	2218800	235 yds	34.5 ft @ 100 yds	720 Lumens	CLEAR	100 MIN	40 mm
OD40 KIT	2218801	235 yds	34.5 ft @ 100 yds	720 Lumens	CLEAR	100 MIN	40 mm
OD40 GEN II	2218823	235 yds	34.5 ft @ 100 yds	950 Lumens	CLEAR	70 MIN	40 mm
OD40 GEN II KIT	2218824	235 yds	34.5 ft @ 10 Oyds	950 Lumens	CLEAR	70 MIN	40 mm




# **DIRECT LIGHT ILLUMINATOR**

### **NEW! 0D50**

- Direct Projection Technology
- Narrow direct beam of optically pure light
- Identify objects in the dark up to 400 yards
- Four cluster ultra powerful CREE® XHP50 LED chips
- Simple ring-turn focus
- State of the art, fully multi-coated optical lenses

- Three brightness settings
- Rechargeable
- Charger and USB cable included
- Light projected at natural wavelength
- Shockproof and waterproof
- Machined aircraft-grade aluminum housing





### LIGHT GETS PROJECTED WITHOUT BEING REFLECTED

Reflected light spills far and wide, wasting much of the light generated by flashlights, which is inefficient. The direct light from an OD50 is optically pure and does not spill, so all of the light produced is projected onto the subject, making it much easier to identify what you are trying to see at great distances.

**OPTICAL DYNAMICS** 





The Collimated Amplified Lens System — CALS — a patented photonics lens system that projects a pure, narrow, adjustable column of direct light that perfectly illuminates your target, not the entire area. No light is wasted, spilled, or reflected. CALS projects 100% of the optically pure light on the target.



### DIRECT PROJECTION TECHNOLOGY

Traditional flashlights disperse light by reflecting it off of a mirrored surface. The result is significant degradation of the light itself and a short range flooding effect that is best for casting light in a general area, which is helpful for activities such as walking at night. In contrast, the OD50 projects light directly through a series of lenses (think telescope, binoculars or camera). These lenses supercharge all of the generated light by focusing the un-degraded light waves into a defined beam. None of the light is lost, dispersed or degraded. This Direct Projection Technology fully illuminates anything you desire to see at short or considerable distances and with virtually no light spill.








### THREE BIG ADVANTAGES

- 1) Projected light is perfectly pure which makes it much easier to truly see what you are trying to see. It doesn't produce "rings" or "dark spots".
- 2) Direct light has a much greater effective range, because it is so much more efficient and cleaner than dirty reflected light. The light travels as a beam so it's concentrated on the subject without spilling light to the sides.
- 3) Projected light travels at its natural wavelength. There are no impurities to alter the light waves. This means it will not spook animals. It also means it's blinding to the human eye (like looking at the sun).

ITEM	NUMBER	DISTANCE	F.O.V.	LED CHIP MAX. OUTPUT	COLOR	RUN TIME	LENS DIAMETER
OD50 - WHITE	2218804	400 yds	19.16 ft @ 100 yds	2000 Lumens	WHITE	Low   Med   High 3 HR   2 HR   60 MIN	50 mm
OD50 - GREEN	2218805	400 yds	19.16 ft @ 100 yds	2000 Lumens	GREEN	Low   Med   High 3 HR   2 HR   60 MIN	50 mm



### **UMAREX® AIRSOFT**

The "King of Replicas" doesn't stop at making quality firearm branded airguns. In fact, the same attention to detail found in Umarex airguns extends to the extensive line of Umarex Airsoft Guns. These plastic-BB firing replicas offer the opportunity for shooters to apply their skills on the range with a variety of airsoft pistols and rifles. From spring powered pistols to automatic electric guns there's not a practice drill, simulation, battle, or competition that can't be won with an airsoft gun from Umarex.

### **ELITE FORCE AIRSOFT**

When it's time to get serious, fierce competitors "leave it all on the field" and in doing so expect their equipment to perform without fail. You can count on the competition- and elite-grade airsoft guns from Elite Force and Umarex license partners such as Amoeba, Avalon, Beretta®, GLOCK™, Heckler & Koch®, and Walther® to be reliable and dependable no matter the battlefield. They're constructed with high quality components to ensure optimal performance during engagement and an experience that's true to life no matter the mission. These extreme airsoft guns are constructed so that you can depend on them to be your front line resolution.



/eliteforceairsoft



/eliteforceguns



@eliteforceairsoft



@eliteforceguns





























### **WALTHER® PPK/S® OPERATIVE**

Includes

[400] Plastic BBs included

[1] Extra Magazine





# WALTHER® PPQ® COMBAT KIT



- [1] PPQ Spring Airsoft Pistol
- [1] Detachable Compensator
- [2] 15-round, 85-round Reservoir Mags
- [400] Plastic Blue BBs
- [400] Plastic Nightglow BBs





# WALTHER® PPO® SPRING

Includes

[1] PPQ Spring Airsoft Pistol

[2] 15-round, 85-round reservoir mags [400] Plastic Blue BBs



ITEM	NUMBER	VELOCITY	AMMO	CAPACITY	RESERVOIR	POWER
NXG® TROPHY HUNTER KIT	2280047	200 fps	6 mm	11 rds	200 rd	Spring
BERETTA® 92 FS SPRING	2274005	260 fps	6 mm	12 rds	-	Spring
BERETTA® 92 FS SPRING - SB199	2280070	260 fps	6 mm	12 rds	-	Spring
BERETTA® PX4 STORM	2274020	260 fps	6 mm	13 rds	100 rd	Spring
BERETTA® GAME READY KIT	2274007	260 fps	6 mm	12 rds	-	Spring
HK® P30® SPRING	2273012	240 fps	6 mm	15 rds	-	Spring
WALTHER® PPK/S® OPERATIVE	2272042	160 fps	6 mm	10 rds	15 rd	Spring
WALTHER® PPQ® COMBAT KIT	2272545	300 fps	6 mm	15 rds	85 rd	Spring
WALTHER® PPQ® SPRING	2272540	250 fps	6 mm	15 rds	85 rd	Spring
WALTHER® PPQ® SPRING	2272542	250 fps	6 mm	15 rds	85 rd	Spring





# WALTHER® TARGET PACK

Kit includes [1] 45WP Spring Airsoft Pistol [400] Plastic BBs [1] Gel Target

2230112

### WALTHER® TACTICAL AIRSOFT KIT

Kit includes

- [1] 45WP Spring Airsoft Pistol
- [1] W9 Tactical Airsoft Pistol





2273010 | 2273011 **HK® P30® ELECTRIC BLOWBACK**Semi/Full-Auto



ITEM	NUMBER	VELOCITY	АММО	CAPACITY	POWER
HK® VP9® SPRING	2273030	240 fps	6 mm	14 rds	Spring
HK® VP9® SPRING - SB199	2280102	240 fps	6 mm	14 rds	Spring
WALTHER® P99® ACTION KIT	2272007	250 fps	6 mm	14 rds	Spring
WALTHER® P22® SPRING	2272000	260 fps	6 mm	20 rds	Spring
WALTHER® P22® SPRING - Clear	2272001	260 fps	6 mm	20 rds	Spring
IWI UZI® MINI SPRING	2278400	240 fps	6 mm	24 rds	Spring
WALTHER® TARGET PACK	2230115	360 fps	6 mm	12 rds	Spring
<b>WALTHER® TACTICAL AIRSOFT KIT</b> - W9	2230112	220 fps	6 mm	200 rds	Electric
<b>WALTHER® TACTICAL AIRSOFT KIT</b> - 45WP	2230112	245 fps	6 mm	14 rds	Electric
BERETTA® 92 FS ELECTRIC	2274050	150 fps	6 mm	16 rds	Electric
HK® P30® ELECTRIC BLOWBACK	2273010	180 fps	6 mm	16 rds	Electric
HK® P30® ELECTRIC BLOWBACK - Clear	2273011	180 fps	6 mm	16 rds	Electric





Includes
[1] 7.2V battery & charger



2278422 | 2280069 IWI X95® ADVANCED


Includes [1] 8.4V battery & charger

ITEM	NUMBER	VELOCITY	АММО	CAPACITY	BATTERY
BERETTA® ARX 160 ADVANCED	2274009	300 fps	6 mm	300 rds	8.4V
BERETTA® ARX 160 ADVANCED - SB199	2280067	300 fps	6 mm	300 rds	8.4V
IWI UZI® AEG CARBINE	2278412	180 fps	6 mm	250 rds	7.2V
HK® MP7® AEG	2279040	240 fps	6 mm	180 rds	7.2V
HK® MP7® AEG - Clear	2279041	240 fps	6 mm	180 rds	7.2V
HK® HK416® AEG	2279042	340 fps	6 mm	250 rds	7.2V
HK® HK416® AEG - Clear	2279043	340 fps	6 mm	250 rds	7.2V
IWI X95® ADVANCED - FDE	2278422	300 fps	6 mm	300 rds	8.4V
IWI X95® ADVANCED - SB199	2280069	300 fps	6 mm	300 rds	8.4V









					SINGLE	DOUBLE	BLOWBACK
ITEM	NUMBER	VELOCITY	AMMO	CAPACITY	SIL	DO	BL
GLOCK™ 19 GEN3	2275200	350 fps	6 mm	11 rds		X	
<b>GLOCK™ 19 GEN3</b> - SB199	2280118	350 fps	6 mm	11 rds		Х	
GLOCK™ 17 GEN3	2275203	330 fps	6 mm	14 rds	X	X	X
GLOCK™ 17 GEN3	2276322	330 fps	6 mm	14 rds	X	Х	Х
GLOCK™ 17 GEN4	2276318	335 fps	6 mm	23 rds	X		Х
GLOCK™ 17 GEN4	2276309	350 fps	6 mm	17 rds	X		X
GLOCK™ 17 GEN3 DELUXE	2276321	300 fps	6 mm	23 rds	X		X
GLOCK™ 34 GEN4 DELUXE	2276315	300 fps	6 mm	23 rds	X		X

<sup>\*2275203 -</sup> Packaged in a clam | 2276322 - Packaged in a box







# BERETTA® APX

Mag-15 rds - 2274308



BERETTA® MOD.84 FS

Mag-12 rds - 2274302



### 2274080 BERETTA® ELITE II

Mag-15 rds - 2274079






### 2274303 BERETTA® M92 A1

Full-Auto! Mag-22 rds - 2274305

					SNGLE	DOUBLE	FULL-AUTO	BLOWBACK
ITEM	NUMBER	VELOCITY	<b>AMMO</b>	CAPACITY	SINU	DOOL	FULL	BLU.
HK® VP9®	2275046	315 fps	6 mm	14 rds	X	Х		X
HK® HK45	2273028	345 fps	6 mm	15 rds		X		
HK® USP® - DEB	2275023	330 fps	6 mm	16 rds		X		
HK® USP®	2262030	330 fps	6 mm	16 rds		X		
HK® USP®	2275043	330 fps	6 mm	18 rds	X	X		X
BERETTA® M9A3	2274310	335 fps	6 mm	21 rds			X	X
BERETTA® APX	2274306	325 fps	6 mm	15 rds		Х		X
BERETTA® APX	2274307	325 fps	6 mm	15 rds		Х		X
BERETTA® ELITE II 🌞	2274080	380 fps	6 mm	15 rds		X		
BERETTA® MOD.84 FS	2274300	315 fps	6 mm	12 rds	X			X
BERETTA® M92 A1	2274303	330 fps	6 mm	22 rds	X		X	X







2279314 **1911 A1** 

Mag-15 rds - 2279315 Mag-27 rds - 2279316



2262020 | 2272828\*
WALTHER®
PQQ®

Mag-15 rds - 2262024



VALTHER® PPS® M2

Mag-15 rds - 2272819



2262000 RUGER® P345™ PR

Mag-15 rds - 2262005



COMBAT ZONE™ ENFORCER

Mag-15 rds - 2274079



2279709 | 2280101 | 2278990\*\*

### NEW! TACTICAL FORCE TF COB

6-Shot Burst, 1 Magazine Included, 350 rd Capacity Reservoir

					CLE	DOUBLE	SEMI-AUTO	BLOWBACK
ITEM	NUMBER	VELOCITY	AMMO	CAPACITY	SINGLE	DOUL	SEM	Brow
ELITE FORCE® H8R GEN2	2279553	325 fps	6 mm	10 rds	Х	Х		
ELITE FORCE® 1911 TAC	2279555	345 fps	6 mm	15 rds	Х			X
ELITE FORCE® 1911 TAC	2279556	345 fps	6 mm	15 rds	Х			X
ELITE FORCE® 1911 TAC - DEB	2279068	345 fps	6 mm	15 rds	Х			X
LEGENDS SMOKE WAGON	2275800	300 fps	6 mm	6 rds	Х			
WALTHER® P99®	2262020	320 fps	6 mm	15 rds		Х		X
WALTHER® P99®	2272828	320 fps	6 mm	15 rds		Х		X
RUGER® P345™ PR 🌞	2262000	380 fps	6 mm	15 rds		Х		
TACTICAL FORCE TF CQB	2279709	330 fps	6 mm	20 rds		Х	X	
TACTICAL FORCE TF CQB - SB199	2280101	330 fps	6 mm	20 rds		Х	X	
TACTICAL FORCE TF CQB	2278990	330 fps	6 mm	20 rds		Х	X	
ELITE FORCE® 1911 A1	2279314	345 fps	6 mm	15 rds	Х			X
WALTHER® PPS® M2	2272817	300 fps	6 mm	15 rds		Х		X
COMBAT ZONE™ ENFORCER	2276008	330 fps	6 mm	15 rds		X		





# HK® USP® COMPACT GBB

Magazine-22 rds - 2275005



2275025 **HK® VP9® GBB** 

Magazine-22 rds - 2275026



HK® USP® COMPACT GBB

Magazine-22 rds - 2275005



2275007

HK® HK45 GBB

Magazine-28 rds - 2275008



2275002 HK® USP® GBB

Magazine-25 rds - 2275003



2275034 **HK<sup>®</sup> HK45 CT** 

Magazine-20 rds - 2275036



2275024 **HK<sup>®</sup> VP9<sup>®</sup> GBB** 

Magazine-22 rds - 2275026



2275035 **HK® HK45 CT** 

Magazine-20 rds - 2275036

					SINGLE	DOUBLE	BLOWBACK
ITEM	NUMBER	VELOCITY	POWER	CAPACITY	Silve	DOS	BLU
GLOCK™ 17 GEN4	2276300	290 fps	Green Gas	22 rds			X
GLOCK™ 19 GEN3	2276303	290 fps	Green Gas	19 rds			X
GLOCK™ 17 GEN3	2276312	295 fps	Green Gas	22 rds	X		X
WALTHER® PPQ® GBB TAC - DEB	2272808	300 fps	Green Gas	22 rds	X		X
WALTHER® PPQ® GBB	2272800	300 fps	Green Gas	22 rds	X		X
HK® USP® COM GBB - Tan	2275013	310 fps	Green Gas	22 rds	X	X	X
HK® USP® COM GBB	2275004	310 fps	Green Gas	22 rds	X	X	X
HK® USP® GBB	2275002	330 fps	Green Gas	25 rds	X	X	X
HK® VP9® GBB	2275024	325 fps	Green Gas	22 rds	X		X
HK® VP9® GBB - DEB	2275025	325 fps	Green Gas	22 rds	X		X
HK® HK45 GBB	2275007	330 fps	Green Gas	28 rds	X	X	X
HK® HK45 CT	2275034	300 fps	Green Gas	20 rds	X	X	X
HK® HK45 CT - FDE	2275035	300 fps	Green Gas	20 rds	X	X	X





M4 CQB

Metal Gears and Gearbox Magazine - 2279524 | 2279525



# M4 CQB

Metal Gears and Gearbox Magazine - 2279524 | 2279525



Short Quad Rail

Magazine - 2279524 | 2279525



M4 CQC

Short Quad Rail





						SEMI-AUTO	FUL-AUT
ITEM	NUMBER	VELOCITY	POWER	CAPACITY	SUGG. BATTERY	SEM.	FULL
M4 CFR 💝	2279519	385 fps	AEG	300 rds	9.6V	X	X
M4 CFR - FDE 🌞	2279520	385 fps	AEG	300 rds	9.6V	X	Х
M4 MCR 🌞	2279521	380 fps	AEG	300 rds	9.6V	X	Х
M4 MCR - FDE 🌞	2279522	380 fps	AEG	300 rds	9.6V	X	X
M4 CQB	2279513	345 fps	AEG	300 rds	9.6V	X	X
M4 CQB - FDE	2279514	345 fps	AEG	300 rds	9.6V	X	X
M4 CQC	2279517	315 fps	AEG	300 rds	9.6V	X	X
M4 CQC - FDE	2279518	315 fps	AEG	300 rds	9.6V	X	Х







2274082\*\*

### BERETTA® ARX 160

Hi-Cap Mag 300 rds - Black - 2279524 Hi-Cap Mag 300 rds - Tan - 2279525



2278050\*\*

### **IWI TAVOR® 21**

Magazine -

2279524 | 2279525 - Single Mag 2279066 | 2279067 - (10 pk)



2278051\*\*

### **IWI TAVOR® 21**

Magazine -

2279524 | 2279525 - Single Mag 2279066 | 2279067 - (10 pk)



ITEM	NUMBER	VELOCITY	POWER	CAPACITY	SUGG. BATTERY	SEMI-AUTO	FULL-AUTO
HK® G36® C - DEB	2275030	350 fps	AEG	400 rds	9.6V	X	X
HK® G36® C	2275000	350 fps	AEG	400 rds	9.6V	X	X
HK® MP5® COMP KIT	2275052	340 fps	AEG	200 rds	9.6V	X	X
HK® MP5® SD6	2275053	340 fps	AEG	200 rds	9.6V	X	X
HK® UMP®	2275001	345 fps	AEG	400 rds	9.6V	Х	х
BERETTA® ARX 160	2274082	345 fps	AEG	300 rds	9.6V	X	Х
IWI TAVOR® 21	2278050	345 fps	AEG	300 rds	9.6V	X	х
IWI TAVOR® 21 - DEB	2278051	345 fps	AEG	300 rds	9.6V	X	х









Magazine - Black - 2274591 Magazine - DEB - 2274592



NEW! AS-01 STRIKER RIFLE GEN2



Magazine - Black - 2274591 Magazine - DEB - 2274592



2274589

# **NEW!** AS-01 STRIKER RIFLE GEN2



Magazine - Black - 2274591 Magazine - DEB - 2274592



2274590

### NEW! AS-01 STRIKER RIFLE GEN2



Magazine - Black - 2274591 Magazine - DEB - 2274592

					SINGLE ACTI	SEMI-AUTO	FULL-AUTO
ITEM	NUMBER	VELOCITY	POWER	CAPACITY	SINGLE	SEMI	FULLT
AM-005	2274579	330 fps	AEG	250 rds		Х	Х
<b>AM-005</b> - DEB	2274580	330 fps	AEG	250 rds		Х	Х
AM-008	2274581	365 fps	AEG	250 rds		Х	Х
<b>AM-008</b> - DEB	2274582	365 fps	AEG	250 rds		Х	Х
AS-01 STRIKER RIFLE *	2274587	425 fps	Spring	45 rds	X		
AS-01 STRIKER RIFLE - DEB *	2274588	425 fps	Spring	45 rds	X		
AS-01 STRIKER RIFLE - Olive Drab *	2274589	425 fps	Spring	45 rds	X		
AS-01 STRIKER RIFLE - Urban Gray *	2274590	425 fps	Spring	45 rds	X		









2273316

Magazine -



2273317

### **NEW! CALIBUR CQC GEN 2**

Magazine -

2273302 | 2273309 | 2273310 | 2273311





2273318

### **NEW! CALIBUR CARBINE GEN2**

Magazine -

2273302 | 2273309 | 2273310 | 2273311





2273319

### **NEW! CALIBUR CARBINE GEN2**

Magazine -

2273302 | 2273309 | 2273310 | 2273311



2273320

### **NEW! GLADIUS**

Magazine -

2273302 | 2273309 | 2273310 | 2273311



						SEMI-AUT	FUL-AU
ITEM	NUMBER	VELOCITY	POWER	CAPACITY	SUGG. BATTERY	SEM	FULL
SABER CQB M-LOK ♥	2273312	380 fps	AEG	120 rds	9.6V	Х	X
SABER CQB M-LOK - Tan *	2273313	380 fps	AEG	120 rds	9.6V	Х	X
SABER CARBINE M-LOK <b>*</b>	2273314	440 fps	AEG	120 rds	9.6V	Х	X
SABER CARBINE M-LOK - Tan *	2273315	440 fps	AEG	120 rds	9.6V	Х	X
CALIBUR CQC *	2273316	440 fps	AEG	120 rds	9.6V	Х	X
CALIBUR CQC - Tan *	2273317	440 fps	AEG	120 rds	9.6V	Х	X
CALIBUR CARBINE *	2273318	440 fps	AEG	120 rds	9.6V	Х	X
CALIBUR CARBINE - Tan *	2273319	440 fps	AEG	120 rds	9.6V	Х	X
GLADIUS *	2273320	380 fps	AEG	120 rds	9.6V	Х	X





### 2264502 **AM-013**

2274583 | 2274584 | 2274585 | 2274586



2264503

### **AM-013**

2274583 | 2274584 | 2274585 | 2274586





### **IWI TAVOR® CTAR**

2279524 | 2279525 | 2279066 | 2279067





						SEMI-AUTO	FULL-AUTO
ITEM	NUMBER	VELOCITY	<b>POWER</b>	CAPACITY	SUGG. BATTERY	SEM	FULL
HK® UMP® ELITE	2265036	340 fps	AEG	400 rds	9.6V	Х	X
AM-016 *	2264504	395 fps	AEG	250 rds	9.6V	Х	X
AM-016 - DEB ❖	2264505	395 fps	AEG	250 rds	9.6V	Х	X
AM-009 *	2264500	390 fps	AEG	250 rds	9.6V	Х	X
<b>AM-009</b> - DEB <b>*</b>	2264501	390 fps	AEG	250 rds	9.6V	Х	X
AM-013 *	2264502	395 fps	AEG	250 rds	9.6V	Х	X
AM-013 - DEB ❖	2264503	395 fps	AEG	250 rds	9.6V	Х	X
IWI TAVOR® CTAR	2266000	345 fps	AEG	250 rds	9.6V	Х	X
IWI TAVOR® CTAR - DEB	2266001	345 fps	AEG	250 rds	9.6V	Х	X

Licensed Trademark of IWI.







2279019 HK® MP7® GBB

Mid-Cap Mag 40 rds - 2279021 KWA MP7® CQB Bolt - 2279023





HK® MP7® GBB

Mid-Cap Mag 40 rds - 2279021 KWA MP7® CQB Bolt - 2279023





Mid-Cap Mag 30 rds - 2262046





ITEM	NUMBER	VELOCITY	POWER	CAPACITY	SUGG. BATTERY	SEMI-AUTO	FULL-AUTO
HK® 416 A5 <b>₩</b>	2262063	370 fps	AEG	320 rds	9.6V	X	X
HK® MP5® A4 ♥	2262061	375 fps	AEG	250 rds	9.6V	X	X
HK® MP5® A5 ♥	2262062	375 fps	AEG	250 rds	9.6V	X	X
HK® G36® C	2262050	360 fps	AEG	400 rds	9.6V	X	X
HK® MP7® GBB - FDE	2279019	390 fps	Green Gas	40 rds	-	X	X
HK® MP7® GBB ↔	2279020	390 fps	Green Gas	40 rds	-	X	X
HK® UMP® GBB 🌞	2262044	360 fps	Green Gas	30 rds	-	X	X



### **AIRSOFT BBs**

DESCRIPTION	GRAMS	QTY.	NUMBER
Elite Force Premium	.20	2700	2279500
Elite Force Premium	.20	5000	2279501
Elite Force Premium	.25	2700	2279505
Elite Force Premium	.25	5000	2279506
Elite Force Premium	.28	2700	2279058
Elite Force Premium Bio	.20	2700	2211073
Elite Force Premium Bio	.20	5000	2279059
Elite Force Premium Bio	.25	2700	2211074
Elite Force Premium Bio	.25	5000	2279061
Elite Force Premium Bio	.28	5000	2279062
Elite Force Milsim Max Bio	.32	2700	2279064
Walther 6mm Blue	.12	2000	2130508
Walther 6mm Blue	.12	5000	2130509

### **ELITE FORCE REBUILD KITS**

DESCRIPTION	NUMBER
Beretta® M92 A1 for model 2274303	2211114
Beretta® M92 A1 Mag for model 2274305	2211115
Elite Force 1911 Barrel Assembly for models 2279555, 2279556, 2279068, 2279314	2211078
Elite Force 1911 for models 2279314, 2279068	2211076
<b>Elite Force 1911 Mag</b> for models 2279315, 2279316	2211077
<b>Elite Force 1911 TAC Frame</b> for models 2279555, 2279556, 2279068	2211112
<b>Elite Force 1911 TAC Hammer Assembly</b> for models 2279555, 2279556, 2279068	2211111
HK® MP7® A1 Navy GBB for model 2262047	2211099
HK® MP7® A1 Navy GBB Mag for model 2262049	2211100
HK® UMP® GBB for model 2262044	2211101
HK® UMP® GBB Mag for model 2262046	2211102
HK® USP® GBB for model 2275002	2211103
HK® USP® GBB Mag for model 2275003	2211104
HK® USP® Comp. GBB for model 2275004	2211105
HK® USP® Comp. GBB Mag for model 2275005	2211106
HK® HK45 GBB for model 2275007	2211107
HK® HK45 GBB Mag for model 2275008	2211108
HK® MP7® GBB for models 2279019, 2279020	2211109
HK® MP7® GBB Mag for model 2279021	2211110
Walther® PPQ® GBB for model 2272800	2211096
Walther® PPQ® GBB Mag for model 2272803	2211097

### **PATCHES & MATS**

DESCRIPTION	NUMBER
Elite Force PVC Helmet Patch 1 in. x 1 in., green	2211154
Elite Force PVC Helmet Patch 1 in. x 1 in., tan	2211155
Elite Force PVC Shield Patch 3 in. x 2 in., green	2211157
Elite Force PVC Shield Patch 3 in. x 2 in., tan	2211158
Amoeba PVC Patch 2.3 in. x 2.3 in., black/red	2211152
VFC PVC Patch 3 in. x 2.8 in., black	2211153
GLOCK <sup>™</sup> PVC Patch 2.5 in. x 2.5 in., black/orange	2211267
Elite Force Counter Mat 12 in. x 12 in.	2279200

### **CONSUMABLES**

DESCRIPTION	NUMBER
Elite Force FUEL, Green Gas	2269520
Elite Force SLICK, Silicone Spray 0il	2211069
Umarex® 12g CO <sub>2</sub> , 500 capsules (bulk)	2252537B

# **RAGS & GLASSES**

DESCRIPTION	NUMBER
Elite Force Kill Rag, black	2211001
Elite Force Kill Rag, tan	2211064
REKT® Shooting Glasses	2211126

# **SIGHTS & LASERS**

DESCRIPTION	NUMBER
Walther FLR 650 Laser and Light	2252548
Elite Force Field Sights	2211141


### **MAGAZINES**

DESCRIPTION	NUMBER
Amoeba Striker Mag., 45 rds, (Gen 2), black	2274591
Amoeba Striker Mag., 45 rds, (Gen 2), DEB	2274592
Beretta® APX Mag., 15 rds	2274308
Beretta® Elite II Mag., 15 rds	2274079
Beretta® Mod. 84 FS Mag., 12 rds	2274302
Beretta® M9A3 Mag., 22 rds	2274311
Beretta® M92 A1 Mag., 22 rds	2274305
Combat Zone™ Enforcer Mag., 15 rds	2274079
Elite Force 1911 A1 Mag., 15 rds	2279315
Elite Force 1911 Extended Mag., 27 rds	2279316
Elite Force H8R Gen2 Mag., 10 rds (2 pk.)	2279554
Elite Force Universal M4/M16 Mag., 300 rds, hi-cap, black	2279524
Elite Force Universal M4/M16 Mag., 300 rds, hi-cap, tan	2279525
GLOCK™ 17 GEN3 CO <sub>2</sub> Mag., 14 rds	2276324
GLOCK™ 19 GEN3 CO <sub>2</sub> Mag., 11 rds	2275201
GLOCK™ 17 GEN4 CO <sub>2</sub> Mag., 23 rds	2276320
GLOCK <sup>™</sup> 17 GEN4 CO <sub>2</sub> Mag., 17 rds	2276311
GLOCK™ 17 GEN4 GBB Mag., 22 rds	2276302
GLOCK™ 19 GEN3 GBB Mag., 19 rds	2276305
HK® 416 Mag., 320 rds, hi-cap	2279006
HK® G36® Mag., 400 rds, hi-cap	2275051
HK® HK45 Mag., 15 rds	2273029
HK® MP5® Mag., 400 rds, hi-cap	2275054
HK® MP7® Navy Mag., 40 rds, mid-cap	2262049

DESCRIPTION	NUMBER
HK® UMP® Mag., 400 rds, hi-cap	2275006
HK® UMP® Mag., 120 rds, mid-cap	2278058
HK® USP® Mag., 16 rds, metal	2262033
HK® USP® Mag., 16 rds, plastic	2262034
HK® USP® Mag., 18 rds	2275045
HK® VP9® Mag., 14 rds	2275048
HK® HK45 GBB Mag., 28 rds	2275008
HK® HK45 CT GBB Mag., 20 rds	2275036
HK® MP7® GBB Mag., 40 rds, mid-cap	2279021
HK® UMP® GBB Mag., 30 rds, mid-cap	2262046
HK® USP® Compact GBB Mag., 22 rds	2275005
HK® USP® GBB Mag., 25 rds	2275003
HK® VP9® GBB Mag., 22 rds	2275026
Legends Smoke Wagon Cartridges, (6 pk.)	2275801
Ruger® P345™ PR Mag., 15 rds	2262005
Tactical Force TF CQB Mag., 350 rds, hi-cap	2278992
VFC QRS Mag., 120 rds, mid-cap, black	2273302
VFC QRS Mag., 120 rds, mid-cap, tan	2273309
VFC QRS Mag., 300 rds, hi-cap, black	2273310
VFC QRS Mag., 300 rds, hi-cap, tan	2273311
Walther® P99® Mag., 15 rds	2262024
Walther® PPS® M2 Mag., 15 rds	2272819
Walther® PPQ® GBB TAC Mag., 22 rds	2272803
Walther® PPQ® GBB TAC Extended Mag., 45 rds	2272802

# **MAGAZINE BOX SETS**

DESCRIPTION	QTY.	NUMBER
Amoeba AM4 Mags, 250 rds, hi-cap, black	5	2274583
Amoeba AM4 Mags, 250 rds, hi-cap, DEB	5	2274584
Amoeba AM4 Mags, 140 rds, mid-cap, black	5	2274585
Amoeba AM4 Mags, 140 rds, mid-cap, DEB	5	2274586
Elite Force M4/M16 Mags, 140 rds, mid-cap, black	10	2279066
Elite Force M4/M16 Mags, 140 rds, mid-cap, DEB	10	2279067
HK® MP5® Mags, 95 rds, mid-cap	10	2278066
HK® UMP® Mags, 110 rds, mid-cap	5	2278059
HK® G36C® Mags, 140 rds, mid-cap	5	2275019



2211002

### **ELITE FORCE SL14 SPEEDLOADER**

G36 Adapter - 2211079 • AK Adapter - 2211080

# **ELITE FORCE BATTERIES**

DESCRIPTION	STYLE	NUMBER
8.4V NiMH 1600 mAh battery	nunchuck	2211010
9.6V NiMH 1600 mAh battery	nunchuck	2211008
9.6V NiMH 1600 mAh battery	stick	2211009
11.1V Lipo 1200 mAh 15C battery - Tamiya	tri-panel	2211148
11.1V Lipo 1200 mAh 15C battery - Deans	tri-panel	2211149
11.1V Lipo 900 mAh 15C battery - Tamiya	stick	2211150
11.1V Lipo 900 mAh 15C battery - Deans	stick	2211151

### **PARTS**

DESCRIPTION	NUMBER
Amoeba Gearbox	2218000
Amoeba Battery Extension Tube, medium	2218001
Elite Force 1911 TAC Grips, brown	2211170
Elite Force Bungee Single Point Sling, black	2211182
Elite Force Bungee Single Point Sling, FDE	2211183
Elite Force M4 Stock, black	2211146
Elite Force M4 Stock, FDE	2211147
HK® 416 E1 Crane Stock	2279009
HK® MP5® RIS Kit	2211165
HK® (KWA) MP7® Low Power Bolt Assembly	2279023
Legends Holster	2211169
VFC QRS Stock, black	2218300
VFC QRS Stock, tan	2218301
VFC Saber M-LOK 8 in. Rail, black	2218302
VFC Saber M-LOK 8 in. Rail, tan	2218303
VFC Saber M-LOK 13 in. Rail, black	2218304
VFC Saber M-LOK 13 in. Rail, tan	2218305
VFC Calibur Keymod 9 in. Rail, black	2218306
VFC Calibur Keymod 9 in. Rail, tan	2218307
VFC Calibur Keymod 13 in. Rail, black	2218308
VFC Calibur Keymod 13 in. Rail, tan	2218309
VFC ECS Gearbox Complete Set	2218310
VFC QRS M4 AEG Trigger Guard, black	2218311
VFC QRS M4 AEG Motor Grip, black	2218312
VFC QRS M4 AEG Motor Grip, tan	2218313
VFC QRS M4 AEG Trigger Set, black	2218315
VFC QRS M4 AEG Trigger Set, red	2218316
VFC QRS M4 AEG Selector Set, black	2218317
Walther® PPQ® GBB Barrel Assembly	2211098
Walther® Airsoft Speedloader, 100 rds	2252505

# **ELITE AIRSOFT SPECIFICATION CHART**

ITEM	NUMBER	VELOCITY WITH .20g	ACTION	BLOWBACK	SUGGESTED Battery	BARREL	LENGTH	WEIGHT
AMOEBA AM-009 ♥	2264500	390 fps	Semi/Full	-	9.6V 1600	12.75 in.	29.75-33 in.	5.7 lbs
AM0EBA AM-009 <b>*</b>	2264501	390 fps	Semi/Full	-	9.6V 1600	12.75 in.	29.75-33 in.	5.7 lbs
AMOEBA AM-013 ♥	2264502	395 fps	Semi/Full	-	9.6V 1600	12.25 in.	24.75-29 in.	5.35 lbs
AMOEBA AM-013 ♥	2264503	395 fps	Semi/Full	-	9.6V 1600	12.25 in.	24.75-29 in.	5.35 lbs
AMOEBA AM-016 ❖	2264504	395 fps	Semi/Full	-	9.6V 1600	13.75 in.	27.5-32.25 in.	5.2 lbs
AMOEBA AM-016 ❖	2264505	395 fps	Semi/Full	-	9.6V 1600	13.75 in.	27.5-32.25 in.	5.2 lbs
HK® 416 A5 ♥	2262063	370 fps	Semi/Full	-	9.6V 1600	11 in.	28.25-31.50 in.	6.75 lbs
HK® G36® C	2262050	360 fps	Semi/Full	-	9.6V 1600	10 in.	28.25 in.	5.9 lbs
HK <sup>®</sup> MP5 A4 ♥	2262061	375 fps	Semi/Full	-	9.6V 1600	8 in.	26.75 in.	5.5 lbs
HK® MP5 A5 ♥	2262062	375 fps	Semi/Full	-	9.6V 1600	8 in.	19.5-25.25 in.	6.1 lbs
HK® MP7® GBB ♥	2279019	390 fps	Semi/Full	-	-	8.6 in.	15-23.5 in.	4.7 lbs
HK <sup>®</sup> MP7 <sup>®</sup> GBB ♥	2279020	390 fps	Semi/Full	-	-	8.6 in.	15-23.5 in.	4.7 lbs
HK® UMP® ELITE	2265036	340 fps	Semi/Full	-	9.6V 1600	8 in.	27.5 in.	5.57 lbs
HK <sup>®</sup> UMP <sup>®</sup> GBB	2262044	360 fps	Semi/Full	-	-	7 in.	17.75-27.25 in.	4.65 lbs
IWI TAVOR® CTAR	2266000	345 fps	Semi/Full	-	9.6V 1600	15.75 in.	27.25 in.	6.5 lbs
IWI TAVOR® CTAR	2266001	345 fps	Semi/Full	-	9.6V 1600	15.75 in.	27.25 in.	6.5 lbs

### **COMPETITION AIRSOFT SPECIFICATION CHART**

GUIVIPETITIUN A	INSUFI	01 2011	FIGATIO	0117111				
ITEM	NUMBER	VELOCITY WITH .20g	ACTION	BLOWBACK	SUGGESTED Battery	BARREL	LENGTH	WEIGHT
AMOEBA AM-005	2274579	330 fps	Semi/Full	-	9.6V 1600	9.25 in.	26.75 in.	4.45 lbs
AMOEBA AM-005	2274580	330 fps	Semi/Full	-	9.6V 1600	9.25 in.	26.75 in.	4.45 lbs
AMOEBA AM-008	2274581	365 fps	Semi/Full	-	9.6V 1600	10.75 in.	26.25-29.5 in.	5 lbs
AMOEBA AM-008	2274582	365 fps	Semi/Full	-	9.6V 1600	10.75 in.	26.25-29.5 in.	5 lbs
AMOEBA * AS-01 Striker rifle	2274587	425 fps	Single	-	-	21.75 in.	42.75 in.	5.4 lbs
AMOEBA * AS-01 Striker Rifle	2274588	425 fps	Single	-	-	21.75 in.	42.75 in.	5.4 lbs
AMOEBA * AS-01 Striker Rifle	2274589	425 fps	Single	-	-	21.75 in.	42.75 in.	5.4 lbs
AMOEBA * AS-01 Striker rifle	2274590	425 fps	Single	-	-	21.75 in.	42.75 in.	5.4 lbs
AVALON SABER CQB M-LOK *	2273312	380 fps	Semi/Full	-	9.6V 1600	10 in.	29.25 in.	5.5 lbs
AVALON SABER CQB M-LOK *	2273313	380 fps	Semi/Full	-	9.6V 1600	10 in.	29.25 in.	5.5 lbs
AVALON SABER * Carbine M-lok	2273314	440 fps	Semi/Full	-	9.6V 1600	15 in.	31.5-34.75 in.	6.25 lbs
AVALON SABER * Carbine M-lok	2273315	440 fps	Semi/Full	-	9.6V 1600	15 in.	31.5-34.75 in.	6.25 lbs
AVALON CALIBUR CQC *	2273316	440 fps	Semi/Full	-	9.6V 1600	10 in.	28.5-31.75 in.	6.25 lbs
AVALON CALIBUR CQC *	2273317	440 fps	Semi/Full	-	9.6V 1600	10 in.	28.5-31.75 in.	6.25 lbs
AVALON CALIBUR CARBINE *	2273318	440 fps	Semi/Full	-	9.6V 1600	15 in.	35.5 in.	6.3 lbs
AVALON CALIBUR CARBINE *	2273319	440 fps	Semi/Full	-	9.6V 1600	15 in.	35.5 in.	6.3 lbs
AVALON GLADIUS *	2273320	380 fps	Semi/Full	-	9.6V 1600	11.5 in.	28.25-30.75 in.	5.25 lbs
BERETTA® APX CO2	2274306	325 fps	Double	Х	-	4.25 in.	7.75 in.	1.45 lbs
BERETTA® APX CO2	2274307	325 fps	Double	Х	-	4.25 in.	7.75 in.	1.45 lbs
BERETTA® ARX160	2274082	345 fps	Semi/Full	-	9.6V 1600	12 in.	29-31.5 in.	5.25 lbs
BERETTA® ELITE II CO2 *	2274080	380 fps	Double	-	-	4.8 in.	8.5 in.	1.5 lbs

# **COMPETITION AIRSOFT SPECIFICATION CHART (continued)**

ITEM	NUMBER	VELOCITY WITH .20g	ACTION	BLOWBACK	SUGGESTED Battery	BARREL	LENGTH	WEIGHT
BERETTA® M92 A1 CO2	2274303	330 fps	Semi/Full	Χ	-	4.5 in.	8.75 in.	2.36 lbs
BERETTA® M9A3 CO2	2274310	335 fps	Semi/Full	Χ	-	4.5 in.	9.25 in.	1.85 lbs
BERETTA® MOD. 84 FS	2274300	315 fps	Single/Semi	Х	-	4.5 in.	9.25 in.	1.85 lbs
COMBAT ZONE™ ENFORCER	2276008	330 fps	Double	-	-	4.25 in.	7 in.	0.95 lbs
ELITE FORCE® 1911 A1	2279314	345 fps	Single	Х	-	4.25 in.	9 in.	2 lbs
ELITE FORCE® 1911 TAC	2279068	345 fps	Single	Χ	-	4.75 in.	9 in.	2 lbs
ELITE FORCE® 1911 TAC	2279555	345 fps	Single	Х	-	4.75 in.	9 in.	2 lbs
ELITE FORCE® 1911 TAC	2279556	345 fps	Single	X	-	4.75 in.	9 in.	2 lbs
ELITE FORCE® H8R GEN2	2279553	325 fps	Single/Double	-	-	5.75 in.	10 in.	1.5 lbs
ELITE FORCE® M4 CFR 🌞	2279519	385 fps	Semi/Full	-	9.6V 1600	13.8 in.	29.75-32.75 in.	5.35 lbs
ELITE FORCE® M4 CFR ♥	2279520	385 fps	Semi/Full	-	9.6V 1600	13.8 in.	29.75-32.75 in.	5.35 lbs
ELITE FORCE® M4 CQB	2279513	345 fps	Semi/Full	-	9.6V 1600	10 in.	26.5-29.5 in.	5.2 lbs
ELITE FORCE® M4 CQB	2279514	345 fps	Semi/Full	-	9.6V 1600	10 in.	26.5-29.5 in.	5.2 lbs
ELITE FORCE® M4 CQC	2279517	315 fps	Semi/Full	-	9.6V 1600	7.5 in.	22.5-25.75 in.	4.45 lbs
ELITE FORCE® M4 CQC	2279518	315 fps	Semi/Full	-	9.6V 1600	7.5 in.	22.5-25.75 in.	4.45 lbs
ELITE FORCE® M4 MCR 🌞	2279521	380 fps	Semi/Full	-	9.6V 1600	16.5 in.	31.25-34.5 in.	5.25 lbs
ELITE FORCE® M4 MCR *	2279522	380 fps	Semi/Full	-	9.6V 1600	16.5 in.	31.25-34.5 in.	5.25 lbs
GLOCK™ 17 GEN3 DELUXE	2276321	300 fps	Single	Х	-	3.75 in.	8 in.	1.5 lbs
GLOCK™ 17 GEN3	2275203	330 fps	Single/Double	Χ	-	4 in.	8.25 in.	1.6 lbs
GLOCK™ 17 GEN3	2276312	295 fps	Single	Х	-	3.75 in.	8.75 in.	1.4 lbs
GLOCK™ 17 GEN3	2276322	330 fps	Single/Double	Х	-	4 in.	8.25 in.	1.6 lbs
GLOCK™ 17 GEN4	2276300	290 fps	Single	Χ	-	3.75 in.	8 in.	1.45 lbs
GLOCK™ 17 GEN4	2276309	350 fps	Single	Х	-	4 in.	7.75 in.	1.65 lbs
GLOCK™ 17 GEN4	2276318	335 fps	Single	Χ	-	3.75 in.	8 in.	1.5 lbs
GLOCK™ 19 GEN3	2276303	290 fps	Single	Х	-	3.25 in.	8.75 in.	1.4 lbs
GLOCK™ 19 GEN3	2275200	350 fps	Double	-	-	4.5 in.	7.25 in.	1.6 lbs
GLOCK™ 19 GEN3	2280118	350 fps	Double	-	-	4.5 in.	7.25 in.	1.6 lbs
GLOCK™ 34 GEN4 DELUXE	2276315	300 fps	Single	Х	-	4.5 in.	9 in.	1.6 lbs
HK® G36® C	2275030	350 fps	Semi/Full	-	9.6V 1600	10.5 in.	28.5 in.	5 lbs
HK® G36® C	2275000	350 fps	Semi/Full	-	9.6V 1600	10.5 in.	28.5 in.	5 lbs
HK® HK45	2273028	345 fps	Double	-	-	4.7 in.	8.25 in.	1.36 lbs
HK® HK45 CT GBB	2275034	300 fps	Single/Double	Х	-	4.5 in.	8.25 in.	1.75 lbs
HK® HK45 CT GBB	2275035	300 fps	Single/Double	Х	-	4.5 in.	8.25 in.	1.75 lbs
HK® HK45 GBB	2275007	330 fps	Single/Double	Х	-	4 in.	8.375 in.	1.9 lbs
HK® MP5® COMPETITION KIT	2275052	340 fps	Semi/Full	-	9.6V 1600	9.25 in.	28-31.75 in.	3.45 lbs
HK® MP5® SD6	2275053	340 fps	Semi/Full	-	9.6V 1600	8.5 in.	31.75 in.	8.5 lbs
HK® UMP®	2275001	345 fps	Semi/Full	-	9.6V 1600	8 in.	27.25 in.	3.95 lbs
HK® USP® BLOWBACK	2275043	330 fps	Single/Double	X	-	4 in.	8.5 in.	2.15 lbs
HK® USP® CO2	2262030	330 fps	Double	-	-	4.75 in.	8 in.	1.82 lbs
HK® USP® CO2	2275023	330 fps	Double	-	-	4.75 in.	8 in.	1.82 lbs
HK® USP® COM GBB	2275013	310 fps	Single/Double	X	-	3.25 in.	7.25 in.	1.64 lbs
HK® USP® COM GBB	2275004	310 fps	Single/Double	X	-	3.25 in.	7 in.	1.6 lbs
HK® USP® GBB	2275002	330 fps	Single/Double	X	-	4 in.	8 in.	1.9 lbs
HK® VP9®	2275046	315 fps	Single/Double	X	-	3.5 in.	7.75 in.	1.5 lbs
HK® VP9® GBB	2275024	325 fps	Single	X	-	3.75 in.	7.75 in.	1.64 lbs
HK® VP9® GBB	2275025	325 fps	Single	Х	-	3.75 in.	8 in.	1.64 lbs

# **COMPETITION AIRSOFT SPECIFICATION CHART (continued)**

ITEM	NUMBER	VELOCITY WITH .20g	ACTION	BLOWBACK	SUGGESTED Battery	BARREL	LENGTH	WEIGHT
IWI TAVOR® 21	2278050	345 fps	Semi/Full	-	9.6V 1600	16 in.	27.25 in.	5.4 lbs
IWI TAVOR® 21	2278051	345 fps	Semi/Full	-	9.6V 1600	16 in.	27.25 in.	5.4 lbs
LEGENDS SMOKE WAGON	2275800	300 fps	Single	-	-	5 in.	11 in.	1.9 lbs
RUGER® P345™ PR 🌞	2262000	380 fps	Double	-	-	4.75 in.	7.75 in.	0.9 lbs
TACTICAL FORCE TF CQB	2278990	330 fps	Semi/6-shot	-	-	9 in.	25.5-27.75 in.	3.7 lbs
TACTICAL FORCE TF CQB	2279709	330 fps	Semi/6-shot	-	-	9 in.	25.5-27.75 in.	3.7 lbs
TACTICAL FORCE TF CQB	2280101	330 fps	Semi/6-shot	-	-	9 in.	25.5-27.75 in.	3.7 lbs
WALTHER® P99® CO2	2262020	320 fps	Double	Χ	-	4.25 in.	7.25 in.	1.76 lbs
WALTHER® P99® CO2	2272828	320 fps	Double	Χ	-	4.25 in.	7.25 in.	1.76 lbs
WALTHER® PPQ® GBB	2272800	300 fps	Single	Χ	-	3.5 in.	7.5 in.	1.4 lbs
WALTHER® PPQ® GBB TAC	2272808	300 fps	Single	Χ	-	3.5 in.	7.75 in.	1.45 lbs
WALTHER® PPS® M2 CO2	2272817	300 fps	Double	Χ	-	3 in.	6.5 in.	1.2 lbs

# **SPRING AND ELECTRIC AIRSOFT**

ITEM	NUMBER	VELOCITY WITH .12g	ACTION	RESERVOIR	LENGTH	WEIGHT
BERETTA® 92 FS ELECTRIC	2274050	150 fps	Semi	-	8.5 in.	0.57 lbs
BERETTA® 92 FS SPRING	2274005	260 fps	Single	-	8.5 in.	0.8 lbs
BERETTA® 92 FS SPRING	2280070	260 fps	Single	-	8.5 in.	0.8 lbs
BERETTA® ARX160 ADVANCED	2274009	300 fps	Semi/Full	-	31.5 in.	3.8 lbs
BERETTA® ARX160 ADVANCED	2280067	300 fps	Semi/Full	-	31.5 in.	3.8 lbs
BERETTA® GAME READY KIT	2274007	260 fps	Single	-	8 in.	0.75 lbs
BERETTA® PX4 STORM	2274020	260 fps	Single	100	8 in.	0.75 lbs
HK® HK416® AEG	2279042	340 fps	Semi/Full	-	28.5-31.25 in.	3.4 lbs
HK® HK416® AEG	2279043	340 fps	Semi/Full	-	28.5-31.25 in.	3.4 lbs
HK® MP7® AEG	2279040	240 fps	Semi/Full	-	20.75-22.75 in.	1.6 lbs
HK <sup>®</sup> MP7 <sup>®</sup> AEG	2279041	240 fps	Semi/Full	-	20.75-22.75 in.	1.6 lbs
HK® P30® SPRING	2273012	240 fps	Single	-	7.25 in.	0.8 lbs
HK® VP9® SPRING	2273030	240 fps	Single	-	7.5 in.	0.65 lbs
HK® VP9® SPRING	2280102	240 fps	Single	-	7.5 in.	0.65 lbs
HK® P30® ELECTRIC BLOWBACK	2273010	180 fps	Semi/Full	-	7 in.	0.5 lbs
HK® P30® ELECTRIC BLOWBACK	2273011	180 fps	Semi/Full	-	7 in.	0.5 lbs
WI X95® ADVANCED	2278422	300 fps	Semi/Full	-	23 in.	2.65 lbs
WI X95® ADVANCED	2280069	300 fps	Semi/Full	-	23 in.	2.65 lbs
NXG® TROPHY HUNTER KIT	2280047	200 fps	Pump	-	29.5 in.	1.39 lbs
WI UZI® AEG CARBINE	2278412	180 fps	Full	-	18.6 in.	1.79 lbs
IWI UZI® MINI SPRING	2278400	240 fps	Single	120	18.4 in.	1.2 lbs
WALTHER® P22® SPRING	2272000	260 fps	Single	-	6.375 in.	0.35 lbs
WALTHER® P22® SPRING	2272001	260 fps	Single	-	6.375 in.	0.35 lbs
WALTHER® P99® ACTION KIT	2272007	250 fps	Single	-	7.25 in.	0.85 lbs
WALTHER® PPK/S® OPERATIVE	2272042	160 fps	Single	15	11 in.	0.6 lbs
WALTHER® PPQ® COMBAT KIT	2272545	300 fps	Single	85	13.625 in.	0.75 lbs
WALTHER® PPQ® SPRING	2272540	250 fps	Single	85	7.25 in.	0.6 lbs
WALTHER® PPQ® SPRING	2272542	250 fps	Single	85	7.25 in.	0.6 lbs
WALTHER® TACTICAL AIRSOFT KIT	2230112	220/245 fps	Single & Semi/Full	-	8.875 & 12-21 in.	0.52 & 1.5 lb
WALTHER® TARGET PACK	2230115	360 fps	Single	-	8.875 in.	0.52 lbs

### **AXEON® SECOND ZERO®**

ITEM	NUMBER	SECOND ZERO DISTANCE*	MOA ADJUSTMENT Value	MOUNT STYLE	SCOPE OBJECTIVE
AXEON® SECOND ZERO®	2218608	330 yds	4.3 MOA	Bell	24 mm - 56 mm
AXEON® SECOND ZERO®	2218609	530 yds	11.5 MOA	Bell	24 mm - 56 mm
AXEON® SECOND ZERO®	2218613	330 yds	4.3 MOA	Bell	40 mm - 44 mm
AXEON® SECOND ZERO®	2218614	530 yds	11.5 MOA	Bell	40 mm - 44 mm
AXEON® SECOND ZERO®	2218623	330 yds	4.3 MOA	Rail	50 mm
AXEON® SECOND ZERO®	2218624	530 yds	11.5 MOA	Rail	50 mm

<sup>\*</sup>Distance may vary depending on ballistics.

# **AXEON® ABSOLUTE ZERO®**

ITEM	NUMBER	BATTERY	LASER	TUBE SIZE
AXEON® ABSOLUTE ZERO®	2218600	[2] CR2	Red	1 in. / 30 mm
AXEON® REFLECTIVE CHART	2218602	-	-	-

### **AXEON® ILLUMINATION**

ITEM	NUMBER	BATTERY	LUMENS	F.O.V.	EYE RELIEF	RUN TIME
AXEON® AM3	2218603	[2] CR123A	250 LED	390 ft. @ 1000 yds	0.75 in.	60 MIN
AXEON® NIGHTVUE™	2218658	Rechargeable	-	13 ft @ 100 yds	-	60 MIN

# **AXEON® SIGHTS**

ITEM	NUMBER	RETICLE	BRIGHTNESS	COLOR	RUN TIME
AXEON® 1XRDS	2218639	1	11	RED	150 HRS
AXEON® 3XRDS	2218640	3	3	RED/GREEN/BLUE	150 HRS
AXEON® R47	2218637	4	7	RED	500 HRS
AXEON® RG49	2218638	4	9	RED/GREEN	500 HRS
AXEON® SHOTLIGHT 120	2218634	-	120 Lumen	WHITE	30 MIN
<b>AXEON® SHOTLINE 650</b>	2218631	-	650 nm	RED	30 MIN

### **AXEON® RIFLE SCOPES**

ITEM	NUMBER	WIND./ELEV.	CLICK VALUE	F.O.V.	PARALLAX	EYE RELIEF	TUBE SIZE
AXEON® 1-6x24	2218703	30 MOA	1/2 MOA	100 - 17 @ 100 yds	Fixed (100 yds)	3.5 in.	30 mm
AXEON® 2-7x32	2218700	30 MOA	1/4 MOA	50.2 - 14.2 @ 100 yds	Fixed (100 yds)	3.5 in.	1 in.
AXEON® 3-9x40	2218701	30 MOA	1/4 MOA	33.3 - 11.1 @ 100 yds	Fixed (100 yds)	3.5 in.	1 in.
AXEON® 4-12x40	2218702	30 MOA	1/4 MOA	25 - 8.3 @ 100 yds	Fixed (100 yds)	3.5 in.	1 in.
AXEON® 4-16x44	2218657	30 MOA	1/4 MOA	23.6 - 5.9 @ 100 yds	Adjustable	3.5 in.	1 in.

### **OPTICAL DYNAMICS ILLUMINATORS**

ITEM	NUMBER	DISTANCE	F.O.V.	LED CHIP Max. Output	COLOR	RUN TIME	LENS DIAMETER
OD40	2218800	235 yds	34.5 ft. @ 100 yds	720 Lumens	CLEAR	100 MIN	40 mm
OD40 KIT	2218801	235 yds	34.5 ft. @ 100 yds	720 Lumens	CLEAR	100 MIN	40 mm
OD40 GEN II	2218823	235 yds	34.5 ft. @ 100 yds	950 Lumens	CLEAR	70 MIN	40 mm
OD40 GEN II KIT	2218824	235 yds	34.5 ft. @ 100 yds	950 Lumens	CLEAR	70 MIN	40 mm

# **OPTICAL DYNAMICS ILLUMINATORS (continued)**

ITEM	NUMBER	DISTANCE	F.O.V.	LED CHIP Max. Output	COLOR	RUN TIME	LENS DIAMETER
<b>OD50</b>	2218804	400 yds	19.16 ft. @ 100 yds	2000 Lumens	WHITE	Low   Med   High 3 HR   2 HR   60 MIN	50 mm
OD50	2218805	400 yds	19.16 ft. @ 100 yds	2000 Lumens	GREEN	Low   Med   High 3 HR   2 HR   60 MIN	50 mm

### **UMAREX® AIRGUN MAINTENANCE**

ITEM	NUMBER	DESCRIPTION
APPLICATOR NEEDLE	2167520	Includes [1] Applicator Needle
RWS® .177 CLEANING PELLETS	2201933	Includes [100] RWS .177 Cleaning Pellets
RWS® .177 SH00TER'S KIT	2201125	Includes [250] RWS Meisterkugeln pellets, [250] RWS Superdome pellets, [25] .177 cal. cleaning pellets, [1] 3-piece cleaning rod, [1] .177 cal. brush, [1] .177 cal. jag, [1] 1/2 oz. RWS Chamber Lube, [1] 1 oz. RWS Spring Cylinder Oil, [10] 4 in. x 4 in. targets, [1] applicator needle
RWS® .22 CLEANING PELLETS	2193817	Includes [80] RWS .22 Cleaning Pellets
RWS® .22 SHOOTER'S KIT	2201124	Includes [500] RWS Superdome pellets, [25] .22 cal. cleaning pellets, [1] 3-piece cleaning rod, [1] .22 cal. brush, [1] .22 cal. jag, [1] 1/2 oz. RWS Chamber Lube, [1] 1 oz. RWS Spring Cylinder Oil, [10] 4 in. x 4 in. targets, [1] applicator needle
RWS® 1/2 OZ. CHAMBER LUBE	2167512	Includes [1] RWS 1/2 oz. Chamber Lube and [1] Applicator Needle
RWS® 1 OZ. SPRING CYLINDER OIL	2167511	Includes [1] RWS 1 oz. Spring Cylinder Oil
UMAREX® .177/.22 CLEANING KIT	2211000	Includes 33 in. flexible cleaning rod, .177/.22 nylon brushes, .177/.22 cleaning mops, .177/.22 cleaning jags, [25] cleaning pads, flexible cleaning rod retaining grommet, multi-functional handle, 6 bit driver set ([2] flat blades, [2] phillips heads, [1] 3mm hex head, [1] 4mm hex head), .22 thread adapter

# **UMAREX® PRIMITIVES**

ITEM	NUMBER	DESCRIPTION
NXG® ST11 SLINGSHOT	2219000	Compact folding wrist lock design.
UMAREX® GLASS SLINGSHOT AMMO	2219004	Hardened glass. 1/2 in. diameter. [75] count.
UMAREX® LASER BLOWGUN	2219102	Includes [1] Laser blowgun, [6] long wire darts, [6] short wire darts, [6] practice darts, [1] carry bag, [1] shoulder strap, [3] LR44 button cell batteries
UMAREX® STEEL SLINGSHOT AMMO	2219003	3/8 in. diameter. [100] count.
UMAREX® X•SHOT LE SLINGSHOT	2219002	Built-in laser sight. Push button auto feed system. Storage system holds 8 rounds of 3/8 in. ammo.
UMAREX® X•SHOT SLINGSHOT	2219001	Push button auto feed system. Storage system holds 8 rounds of 3/8 in. ammo.

# **UMAREX® APPAREL AND OTHER GOODS**

ITEM	NUMBER	DESCRIPTION
UMAREX® BLACK HAT	2211065	One size fits most. 6 panel. Pre-curved visor. Low crown.
UMAREX® MESH HAT	2211066	One size fits most. 6 panel. Pre-curved sandwich visor. Low crown. Nylon mesh back.
UMAREX® COFFEE MUG	2211212	16 oz. capacity.

# **UMAREX® CO2 CAPSULES**

ITEM	NUMBER	CALIBER	DESCRIPTION	GRAIN	QUANTITY	PACKAGING
UMAREX® CO2 CAPSULES	2252533	-	12 gram	-	12	Box
UMAREX® CO <sub>2</sub> CAPSULES	2252534	-	88 gram	-	2	Box

# **UMAREX® AIRGUN MAGAZINES AND SHOOTING ACCESSORIES**

COMPATIBLE MODELS	NUMBER	DESCRIPTION	ROUNDS	AMMO TYPE	CALIBER	QTY.
BERETTA® CX4	2253516	Magazine	30	BB/Pellet	.177	1
BERETTA® M9A3	2253025	CO <sub>2</sub> Magazine	18	BB	.177	1
BERETTA® MOD. 84FS	2253016	CO <sub>2</sub> Magazine	17	BB	.177	1
BERETTA® MOD. 92A1	2253019	CO <sub>2</sub> Magazine	26	BB	.177	1
BERETTA® PX4	2253515	Magazine	16	BB/Pellet	.177	1
COLT® M45 CQBP	2254046	Magazine	19	BB	.177	1
COLT® PEACEMAKER® BB	2254049	Casings	1	BB	.177	6
COLT® PEACEMAKER® PELLET	2254052	Casings	1	Pellet	.177	6
COLT® PYTHON® POLYMER; UMAREX® BRODAX	2254041	Magazine	10	BB	.177	3
GLOCK™ 17 GEN3	2255209	CO <sub>2</sub> Magazine	18	BB	.177	1
GLOCK™ 17 GEN4	2255203	CO <sub>2</sub> Magazine	18	BB	.177	1
GLOCK™ 19 GEN3	2255201	Magazine	15	ВВ	.177	1
HK® VP9®	2252309	CO <sub>2</sub> Magazine	18	BB	.177	1
LEGENDS COWBOY RIFLE	2254049	Casings	1	BB	.177	10
LEGENDS MAKAROV	2252233	Magazine	18	BB	.177	1
LEGENDS M712	2251808	CO <sub>2</sub> Magazine	18	BB	.177	1
LEGENDS P.08	2251801	Magazine	21	BB	.177	1
LEGENDS P.08 BLOWBACK	2251804	CO <sub>2</sub> Magazine	21	BB	.177	1
S&W TRR8	2252673	Casings	1	BB	.177	6
S&W TRR8	2252674	Speedloader	-	-	-	1
S&W 586/686	2255500	Rotary Magazine	10	Pellet	.177	3
S&W MP40 BLOWBACK	2255055	Magazine	15	ВВ	.177	1
WALTHER® CP99®	2252513	CO <sub>2</sub> Magazine	-	-	-	1
WALTHER® CP99® COMPACT	2252519	Magazine	18	ВВ	.177	2
WALTHER® P38®	2252733	Magazine	20	BB	.177	1
WALTHER® PPQ®, CP99®, CP88® COMPETITION, LEVER ACTION RIFLE; COLT® GOVERNMENT MODEL® 1911 A1; S&W M&P 45; BERETTA® M 92 FS; HK® P30®	2252500	Rotary Magazine	8	Pellet	.177	3
WALTHER® PPS® M2	2252413	Magazine	18	BB	.177	1
UMAREX® SPEEDLOADER	2252502	Speedloader	-	BB	-	1
UMAREX® SYNERGIS	2251325	Magazine	12	Pellet	.177	1
UMAREX® XBG, TDP45, TDP45 TAC; BERETTA® ELITE II; S&W MP40	2253517	Magazine	19	BB	.177	2
IWI UZI® CARBINE	2256104	Magazine	28	ВВ	.177	1
WALTHER® PPQ®; S&W M&P 45	2252552	Magazine	8	ВВ	.177	3

# **UMAREX® PCP AIRGUN ACCESSORIES**

ITEM	NUMBER	DESCRIPTION
UMAREX® PCP SUPER FILL HAND PUMP	2211232	4500 psi. Long 12.5 inch outlet hose. Foster quick-disconnect adapter.
UMAREX® DRY PACK AND ADAPTER	2211233	Includes: [1] dry pack, [1] hand pump adapter, [2] Refill satchets
UMAREX® DRY PACK SATCHET	2211234	For use with dry pack 2211233.

# **AXEON® AIRGUN OPTICS**

ITEM	NUMBER	WINDAGE ELEVATION	CLICK Value	F.O.V.	PARALLAX	EYE Relief	TUBE SIZE
AXEON® 4-16X44 GAUNTLET® SCOPE	2218656	30 MOA	1/4 MOA	23.6 - 5.9 @ 100 yds	Adjustable	3.5 in.	1 in.

# **UMAREX® TARGETS**

ITEM	NUMBER	ТҮРЕ	DESCRIPTION
BIG BLAST INFLATOR KIT	2211188	Plastic cap	[10] caps, [1] mesh bag, [1] tie string, [2] air pump needles, [1] foot pump
BIG BLAST TARGET CAPS	2211187	Plastic cap	[10] caps, [1] mesh bag, [1] tie string, [2] air pump needles
BIG BLAST TARGET CAPS 2 PACK	2280085	Plastic cap	[2] caps, [1] mesh bag, [1] tie string
UMAREX® MULTI•SHOT	2218073	Metal spinners, paper	[1] Multi•Shot, [80] paper targets
UMAREX® PAPER•TARGETS	2218076	Paper	[100] paper targets (5x20)
UMAREX® STAND•SHOT	2218072	Metal stand, paper	[1] Stand•Shot, [100] paper targets
UMAREX® TRAP•SHOT	2218075	Metal, shoot to reset	[1] Trap•Shot, target stickers

### **AMMUNITION**

AIVIIVIONITION						
ITEM	NUMBER	CALIBER	DESCRIPTION	GRAIN	QUANTITY	PACKAGING
ARX® SPEEDBELT™ MUZZLELOADER AMMUNITION	2230193	.50	Polymer-Copper Bullet	180	15	Plastic Clam
ARX® SPEEDBELT™ AIRGUN AMMUNITION	2218114	.50	Polymer-Copper Bullet	180	20	Box
HORNADY® BLACK DIAMOND BBs	2211056	.177	Anodized Steel BBs	-	1500	Plastic Bottle
RWS® DIABOLO	2317398	.177	Lead Pellet	7.0	300 per tin	Tin - Blister Pack
RWS® HOBBY	2317400	.177	Lead Pellet	7.0	300 per tin	Tin - Blister Pack
RWS® HOBBY	2317401	.22	Lead Pellet	11.9	200 per tin	Tin - Blister Pack
RWS® HYPERMAX	2315052	.177	Alloy Pellet	5.2	100 per box	Tin - Blister Pack
RWS® HYPERMAX	2317338	.22	Alloy Pellet	9.9	80 per box	Tin - Blister Pack
RWS® MEISTERKUGELN	2315030	.177	Lead Pellet	8.2	500 per tin	Tin - No Blister Pack
RWS® MEISTERKUGELN	2404458	.22	Lead Pellet	14.0	250 per tin	Tin - No Blister Pack
RWS® MEISTERKUGELN PISTOL	2315034	.177	Lead Pellet	7.0	500 per tin	Tin - No Blister Pack
RWS® PELLET SAMPLER	2135900	.177	Lead Pellet	various	100x5 per box	Plastic Clam
RWS® POWER BALL	2317414	.177	Lead Pellet	9.4	200 per tin	Tin - Blister Pack
RWS® POWER PIERCING	2317420	.177	Lead Pellet	8.9	200 per tin	Tin - Blister Pack
RWS® R 10 MATCH PLUS	2315012	.177	Lead Pellet	8.2	500 per box	Вох
RWS® R 10 MATCH PLUS	2315014	.177	Lead Pellet	8.2	500 per tin	Tin - No Blister Pack
RWS® R 10 MATCH PLUS	2315018	.177	Lead Pellet	7.0	500 per tin	Tin - No Blister Pack
RWS® SUPER-H-POINT	2317403	.177	Lead Pellet	6.9	300 per tin	Tin - Blister Pack
RWS® SUPER-H-POINT	2317404	.22	Lead Pellet	14.2	200 per tin	Tin - Blister Pack
RWS® SUPER-H-POINT	2317383	.25	Lead Pellet	25.0	150 per tin	Tin - Blister Pack
RWS® SUPERDOME	2317406	.177	Lead Pellet	8.3	300 per tin	Tin - Blister Pack
RWS® SUPERDOME	2317407	.22	Lead Pellet	14.5	200 per tin	Tin - Blister Pack
RWS® SUPERDOME	2317380	.25	Lead Pellet	31.0	150 per tin	Tin - Blister Pack
RWS® SUPERMAG	2315042	.177	Lead Pellet	9.3	500 per tin	Tin - No Blister Pack

# **AMMUNITION (continued)**

ITEM	NUMBER	CALIBER	DESCRIPTION	GRAIN	QUANTITY	PACKAGING
RWS® SUPERPOINT EXTRA	2317409	.177	Lead Pellet	8.2	300 per tin	Tin - Blister Pack
RWS® SUPERPOINT EXTRA	2317410	.22	Lead Pellet	14.5	200 per tin	Tin - Blister Pack
RWS® BLANK	2272755	.22, 6mm	Crimped - 100 db report	-	100	Tin
UMAREX® BLANK	2252750	6mm K	Crimped - 100 db report	-	100	Box
UMAREX® BLANK	2252751	.22 Long K	Crimped - 100 db report	-	100	Box
UMAREX® BLANK	2252752	9 mm R.K. (revolver)	Crimped - 100 db report	-	50	Box
UMAREX® BLANK	2272753	9 mm PAK (automatic)	100 db report	-	50	Box
UMAREX® BLANK	2272754	8 mm K (automatic)	100 db report	-	50	Box
UMAREX® PRECISION STEEL BBs	2252549	.177	Steel BBs	-	1500	Plastic Bottle
UMAREX® SOLID LEAD AMMO	2218147	.50	Lead Bullet	250	20	Box
UMAREX® SOLID LEAD AMMO	2218148	.50	Lead Bullet	350	20	Box
UMAREX® SOLID LEAD AMMO	2218149	.50	Lead Bullet	550	20	Box

# **AIR PISTOLS**

ITEM	NUMBER	MAXIMUM VELOCITY	POWER Source	ACTION	АММО	SHOTS	BARREL LENGTH	TOTAL LENGTH	TOTAL WEIGHT
BERETTA® APX	2253020	395 fps	CO <sub>2</sub>	Double/Semi	BB	20	3.5 in.	7.25 in.	1.45 lbs
BERETTA® CX4 STORM	2253005	600 fps	CO <sub>2</sub>	Semi	Pellet	30	17.5 in.	30.75 in.	4.5 lbs
BERETTA® ELITE II	2253003	410 fps	CO <sub>2</sub>	Double	BB	19	4.8 in.	8.5 in.	1.5 lbs
BERETTA® M 92 FS	2253000	425 fps	C02	Single/Double	Pellet	8	4.5 in.	8.5 in.	2.8 lbs
BERETTA® M 92 FS	2253001	425 fps	CO <sub>2</sub>	Single/Double	Pellet	8	4.5 in.	8.5 in.	2.8 lbs
BERETTA® M 92 FS	2253002	425 fps	CO <sub>2</sub>	Single/Double	Pellet	8	4.5 in.	8.5 in.	2.8 lbs
BERETTA® M92 A1	2253017	310 fps	CO2	Single/Double/Full	BB	18	4.5 in.	8.5 in.	2.4 lbs
BERETTA® M9A3	2253024	330 fps	CO <sub>2</sub>	Single/Double/Semi/Full	BB	18	4.75 in.	9 in.	1.9 lbs
BERETTA® MOD. 84FS	2253015	360 fps	CO <sub>2</sub>	Single/Semi	ВВ	17	3.6 in.	7 in.	1.4 lbs
BERETTA® PX4 STORM	2253004	380 fps	CO <sub>2</sub>	Single/Double	BB/Pellet	16	4.1 in.	7.6 in.	1.6 lbs
BROWNING® BUCK MARK® URX	2252270	320 fps	Spring Piston	Break Barrel	Pellet	1	5.25 in.	12 in.	1.5 lbs
COLT® COMMANDER®	2254028	325 fps	CO <sub>2</sub>	Single/Semi	BB	18	4.5 in.	8.5 in.	2.1 lbs
COLT® DEFENDER®	2254020	410 fps	C02	Double/Semi	BB	16	4.3 in.	6.75 in.	1.6 lbs
COLT® GOVERNMENT MODEL® 1911 A1	2254000	425 fps	CO2	Single	Pellet	8	4.8 in.	8.6 in.	2.4 lbs
COLT® PEACEMAKER®	2254048	410 fps	CO <sub>2</sub>	Single	BB	6	4.5 in.	10.75 in.	2 lbs
COLT® PEACEMAKER®	2254051	380 fps	C02	Single	Pellet	6	4.5 in.	11.25 in.	2 lbs
COLT® M45 CQBP	2254045	400 fps	CO <sub>2</sub>	Single/Semi	BB	19	4.5 in.	8.75 in.	1.75 lbs
COLT® PYTHON®	2254040	410 fps	CO <sub>2</sub>	Single/Double	BB	10	6.875 in.	11.5 in.	1.1 lbs
GLOCK™ G17 GEN3	2255208	365 fps	CO <sub>2</sub>	Single/Double/Semi	BB	18	4 in.	7.75 in.	1.6 lbs
GLOCK™ G17 GEN4	2255202	320 fps	CO <sub>2</sub>	Single/Semi	BB	18	3.6 in.	7.75 in.	1.7 lbs
GLOCK™ G19 GEN3	2255200	410 fps	CO2	Double/Semi	BB	15	4.25 in.	7.25 in.	1.6 lbs
HK® HK45	2252304	400 fps	CO <sub>2</sub>	Double/Semi	BB	20	4.87 in.	8 in.	1.4 lbs
HK® MP5®K-PDW	2252330	400 fps	CO <sub>2</sub>	Double/Semi	BB	40	6 in.	24.5 in.	3.71 lbs
HK® P30®	2252302	360 fps	CO <sub>2</sub>	Single/Double	BB/Pellet	8/15	3.3 in.	7.1 in.	1.69 lbs
HK® VP9®	2252308	350 fps	CO <sub>2</sub>	Double/Semi	BB	18	3.5 in.	7.5 in.	1.5 lbs

# **AIR PISTOLS (continued)**

ITEM	NUMBER	MAXIMUM VELOCITY	POWER Source	ACTION	АММО	SHOTS	BARREL LENGTH	TOTAL Length	TOTAL WEIGHT
HK® USP®	2252300	400 fps	CO <sub>2</sub>	Double/Semi	ВВ	22	4.5 in.	7.5 in.	1.8 lbs
HK® USP® BLOWBACK	2252306	325 fps	C02	Single/Double	BB	16	4 in.	7.75 in.	2.15 lbs
LEGENDS ACE IN THE HOLE	2251816	340 fps	CO <sub>2</sub>	Single	Pellet	6	3.25 in.	9 in.	1.95 lbs
LEGENDS COWBOY RIFLE	2251817	600 fps	CO <sub>2</sub>	Single	BB	10	19.25 in.	38 in.	5.95 lbs
LEGENDS M712	2251807	360 fps	C02	Semi/Full	BB	18	5.5 in.	12 in.	3.1 lbs
LEGENDS MAKAROV	2252232	380 fps	CO <sub>2</sub>	Single/Double	BB	18	3.75 in.	6.25 in.	1.5 lbs
LEGENDS MP	2251813	465 fps	CO2	Semi/Full	BB	52	10 in.	24.5-33 in.	7.7 lbs
LEGENDS P.08	2251800	410 fps	CO <sub>2</sub>	Double/Semi	BB	21	4.6 in.	8.5 in.	1.8 lbs
LEGENDS P.08 BLOWBACK	2251803	300 fps	CO <sub>2</sub>	Single/Semi	BB	21	4 in.	8.75 in.	1.9 lbs
S&W 327 TRR8	2252672	400 fps	C02	Single/Double	BB	6	5.5 in.	12 in.	2 lbs
S&W 586	2255000	425 fps	CO <sub>2</sub>	Single/Double	Pellet	10	4 in.	9.5 in.	2.5 lbs
S&W 586	2255001	400 fps	C0 <sub>2</sub>	Single/Double	Pellet	10	6 in.	11.5 in.	2.8 lbs
S&W 686	2255003	400 fps	C02	Single/Double	Pellet	10	6 in.	11.5 in.	2.8 lbs
S&W M&P 40	2255050	410 fps	C0 <sub>2</sub>	Double/Semi	ВВ	19	4.25 in.	7.5 in.	1 lbs
S&W M&P 40	2255051	410 fps	CO <sub>2</sub>	Double/Semi	BB	19	4.25 in.	7.5 in.	1 lbs
S&W M&P 40 BB	2255053	300 fps	CO <sub>2</sub>	Single/Semi	BB	15	3.5 in.	7.75 in.	1.61 lbs
S&W M&P 45	2255060	370 fps	CO <sub>2</sub>	Single/Double	BB/Pellet	8	3.4 in.	8 in.	1.45 lbs
UMAREX® BRODAX	2252109	375 fps	C02	Single/Double	BB	10	5.5 in.	10 in.	1.52 lbs
UMAREX® DX•17	2230030	250/200 fps	CO <sub>2</sub>	Single	BB/Pellet	15	2.75 in.	9.5 in.	1 lbs
UMAREX® MCP KIT	2252118	410 fps	CO <sub>2</sub>	Double/Semi	BB	19	6 in.	7.75 in.	0.9 lbs
UMAREX® MORPH•3X	2252600	600/450 fps	CO <sub>2</sub>	Double	BB	30	5.1/9.75 in.	11.5/38.5 in.	1.15/2.5 lbs
UMAREX® SA10	2252113	420 fps	CO <sub>2</sub>	Single/Double/Semi	BB/Pellet	8	5 in.	9.25 in.	2.05 lbs
UMAREX® STRIKE•POINT .177	2251350	600 fps	Pneumatic	Bolt	Pellet	1	9.25 in.	14 in.	2.4 lbs
UMAREX® STRIKE•POINT .22	2251351	500 fps	Pneumatic	Bolt	Pellet	1	9.25 in.	14 in.	2.4 lbs
UMAREX® STEEL•FORCE™	2254855	430 fps	CO <sub>2</sub>	Semi	BB	30	7.5 in.	24.4-28.2 in.	3.37 lbs
UMAREX® STEEL•STORM™	2252155	430 fps	CO <sub>2</sub>	Semi	ВВ	30	7.5 in.	15 in.	2.7 lbs
UMAREX® STEEL•STRIKE	2252120	400 fps	CO <sub>2</sub>	Semi	BB	30	9 in.	26-28 in.	3.7 lbs
UMAREX® T•A•C	2254824	410 fps	CO <sub>2</sub>	Double	BB	19	4.25 in.	14-22.5 in.	1.85 lbs
UMAREX® T•D•P 45	2254821	410 fps	CO2	Double/Semi	BB	19	4.25 in.	6.75 in.	0.85 lbs
UMAREX® TREVOX	2251348	600 fps	Gas Piston	Break Barrel	Pellet	1	6.25 in.	18.25 in.	3.15 lbs
UMAREX® X•B•G	2254804	410 fps	CO2	Double/Semi	BB	19	4.25 in.	6.75 in.	0.7 lbs
UZI® MINI CARBINE	2256103	390 fps	CO <sub>2</sub>	Double/Semi	BB	28	5 in.	31.5 in.	2.45 lbs
WALTHER® CP88®	2252050	400 fps	CO <sub>2</sub>	Single/Double	Pellet	8	3.3 in.	7.1 in.	1.35 lbs
WALTHER® CP88® COMP	2252054	450 fps	CO2	Single/Double	Pellet	8	5.5 in.	9 in.	2.5 lbs
WALTHER® CP99®	2252201	360 fps	CO <sub>2</sub>	Single/Double	Pellet	8	3.25 in.	7.1 in.	1.6 lbs
WALTHER® CP99® COMPACT	2252206	345 fps	CO <sub>2</sub>	Single/Semi	ВВ	18	3.25 in.	6.6 in.	1.7 lbs
WALTHER® P38®	2252730	400 fps	CO2	Single/Double	BB	20	4.75 in.	8.5 in.	1.6 lbs
WALTHER® PPK/S®	2252409	295 fps	CO <sub>2</sub>	Single/Semi	BB	15	3.5 in.	6.25 in.	1.23 lbs
WALTHER® PPQ®	2256010	360 fps	CO <sub>2</sub>	Double/Semi	BB/Pellet	8	3.3 in.	7.1 in.	1.35 lbs
WALTHER® PPS® M2	2252412	340 fps	CO <sub>2</sub>	Single/Semi	BB	18	3 in.	6.375 in.	1.2 lbs

# **AIR RIFLES**

ITEM	NUMBER	LEAD VELOCITY	CALIBER	POWER SOURCE	ACTION	АММО	CAPACITY	RAIL
NXG® APX	2251600	800 fps	.177	Pneumatic	Multi-pump	BB/Pellet	1	Tactical
IXG® APX KIT	2251601	800 fps	.177	Pneumatic	Multi-pump	BB/Pellet	1	Tactical
NXG® APX 490 🌞	2251602	490 fps	.177	Pneumatic	Multi-pump	BB/Pellet	1	Tactical
NXG® APX KIT 490 ↔	2251603	490 fps	.177	Pneumatic	Multi-pump	BB/Pellet	1	Tactical
RUGER® 10/22® AIR RIFLE	2244233	650 fps	.177	CO <sub>2</sub>	Semi Auto	Pellet	10	-
RUGER® TARGIS HUNTER MAX	2244241	800 fps	.22	Gas Piston	Break Barrel	Pellet	1	Picatinny
RUGER® TARGIS MAX	2244240	1000 fps	.177	Gas Piston	Break Barrel	Pellet	1	Picatinny
RUGER® YUKON MAGNUM	2244229	1150 fps	.177	Gas Piston	Break Barrel	Pellet	1	Picatinny
RUGER® YUKON MAGNUM	2244230	950 fps	.22	Gas Piston	Break Barrel	Pellet	1	Picatinny
RUGER® AIR MAGNUM	2244029	1000 fps	.22	Spring Piston	Break Barrel	Pellet	1	Picatinny
RUGER® AIR MAGNUM	2244030	1200 fps	.177	Spring Piston	Break Barrel	Pellet	1	Picatinny
RUGER® AIR HAWK	2244001	1000 fps	.177	Spring Piston	Break Barrel	Pellet	1	11 mm
RUGER® AIR HAWK 🌞	2244002	490 fps	.177	Spring Piston	Break Barrel	Pellet	1	11 mm
RUGER® EXPLORER *	2244020	495 fps	.177	Spring Piston	Break Barrel	Pellet	1	11 mm
RWS® 3400	2169054	1000 fps	.177	Spring Piston	Break Barrel	Pellet	1	11 mm
RWS® 3400	2169055	800 fps	.22	Spring Piston	Break Barrel	Pellet	1	11 mm
RWS® 3400 GAS PISTON	2169062	1000 fps	.177	Gas Piston	Break Barrel	Pellet	1	11 mm
RWS® 3400 GAS PISTON	2169063	800 fps	.22	Gas Piston	Break Barrel	Pellet	1	11 mm
RWS® 3500	2169058	1200 fps	.177	Spring Piston	Break Barrel	Pellet	1	11 mm
RWS® 3500	2169059	1000 fps	.22	Spring Piston	Break Barrel	Pellet	1	11 mm
RWS® 3500 GAS PISTON	2169066	1200 fps	.177	Gas Piston	Break Barrel	Pellet	1	11 mm
RWS® 3500 GAS PISTON	2169067	1000 fps	.22	Gas Piston	Break Barrel	Pellet	1	11 mm
JMAREX® AREX	2280094	1050 fps	.177	Gas Piston	Break Barrel	Pellet	1	Picatinny
JMAREX® EMBARK	2280050	510 fps	.177	Spring Piston	Break Barrel	Pellet	1	11 mm
JMAREX® FORGE	2251357	1050 fps	.177	Gas Piston	Break Barrel	Pellet	1	Picatinny
JMAREX® FORGE 490 *	2251360	490 fps	.177	Gas Piston	Break Barrel	Pellet	1	Picatinny
JMAREX® FUEL	2251313	1000 fps	.177	Gas Piston	Break Barrel	Pellet	1	Picatinny
JMAREX® GAUNTLET®	2252603	1000 fps	.177	PCP	Bolt	Pellet	10	11 mm
JMAREX® GAUNTLET®	2252604	900 fps	.22	PCP	Bolt	Pellet	10	11 mm
JMAREX® GAUNTLET®	2252605	900 fps	.25	PCP	Bolt	Pellet	8	11 mm
JMAREX® GAUNTLET® 🌞	2252608	900 fps	.22	PCP	Bolt	Pellet	10	11 mm
JMAREX® HAMMER	2252635	1130 fps w/ARX®	.50	PCP	Bolt	.504 Bullet	2	Picatinny
JMAREX® OCTANE ELITE	2251353	1200 fps	.177	Gas Piston	Break Barrel	Pellet	1	Picatinny
UMAREX® OCTANE ELITE	2251354	1000 fps	.22	Gas Piston	Break Barrel	Pellet	1	Picatinny
JMAREX® SURGEMAX ELITE	2251317	1050 fps	.177	Gas Piston	Break Barrel	Pellet	1	Picatinny
UMAREX® SYNERGIS	2251323	1000 fps	.177	Gas Piston	Lever	Pellet	12	Picatinny
JMAREX® SYRIX 490 *	2251363	490 fps	.177	Gas Piston	Break Barrel	Pellet	1	11 mm
JMAREX® SYRIX	2251363	1000 fps	.177	Gas Piston	Break Barrel	Pellet	1	11 mm
WALTHER® LGU MASTER	2252091	800 fps	.22	Spring Piston	Under Lever	Pellet	1	11 mm
WALTHER® LGU WASTER WALTHER® LGU VARMINT	2252091	800 fps	.22	Spring Piston	Under Lever	Pellet	1	11 mm
WALTHER® MAXIMATHOR	2252090	1180 fps	.22	PCP	Bolt	Pellet	1	11 mm
WALTHER® MAXIMATHOR	2252084	1000 fps	.25	PCP	Bolt	Pellet	1	11 mm
VALTHER® ROTEK	2252084	950 fps	.177	PCP	Bolt	Pellet	1	11 mm
NALTHER® ROTEK	2252081	950 fps 850 fps	.22	PCP	Bolt	Pellet	1	11 mm
WALTHER® PARRUS		•				Pellet		
	2252087	1105 fps 940 fps	.177	Spring Piston	Break Barrel		1	11 mm
WALTHER® PARRUS	2252088	<u> </u>	.22	Spring Piston	Break Barrel	Pellet	1	11 mm
WALTHER® TERRUS	2252073	930 fps	.177	Spring Piston	Break Barrel	Pellet	1	11 mm
WALTHER® TERRUS	2252075	690 fps	.22	Spring Piston	Break Barrel	Pellet	1	11 mm
WALTHER® LEVER ACTION	2252003	630 fps	.177	CO <sub>2</sub>	Lever	Pellet	8	11 mm

FRONT SIGHTS	REAR SIGHTS	TRIGGER TYPE	TRIGGER WEIGHT	LENGTH OF PULL	COCKING EFFORT	BARREL LENGTH	TOTAL LENGTH	TOTAL WEIGHT	OPTIC	SCOPE PARALLAX
Fixed F.O.	Adjustable	Non-adjustable	3.5 lbs	14.25 in.	-	20 in.	39 in.	3.4 lbs	4x15	Fixed
Fixed F.O.	Adjustable	Non-adjustable	3.5 lbs	14.25 in.	-	20 in.	39 in.	3.4 lbs	4x15	Fixed
Fixed F.O.	Adjustable	Non-adjustable	3.5 lbs	14.25 in.	-	20 in.	39 in.	3.4 lbs	4x15	Fixed
Fixed F.O.	Adjustable	Non-adjustable	3.5 lbs	14.25 in.	-	20 in.	39 in.	3.4 lbs	4x15	Fixed
Fixed	Adjustable	Non-adjustable	10/3 lbs	13.6 in.	-	18 in.	37.1 in.	4.36 lbs	-	_
Fixed F.O.	Adjustable F.O.	Adjustable	7.75 lbs	14.5 in.	34 lbs	14 in.	45 in.	7.5 lbs	3-9x32 A0	Adjustable
Fixed F.O.	Adjustable F.O.	Adjustable	6.75 lbs	14.5 in.	34 lbs	15 in.	45 in.	8.6 lbs	4x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	3.5 lbs	14.25 in.	47 lbs	16.25 in.	48.25 in.	8.25 lbs	3-9x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	3.5 lbs	14.25 in.	47 lbs	16.25 in.	48.25 in.	9.2 lbs	3-9x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	3.5 lbs	14.25 in.	42 lbs	19.5 in.	48.5 in.	9.5 lbs	4x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	3.5 lbs	14.25 in.	42 lbs	19.5 in.	48.5 in.	9.5 lbs	4x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	3.3 lbs	14 in.	30 lbs	18.7 in.	44.8 in.	8.25 lbs	4x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	3.3 lbs	14 in.	30 lbs	18.7 in.	44.8 in.	8.25 lbs	4x32	35 yds
Fixed F.O.	Adjustable F.O.	Non-adjustable	4.25 lbs	12 in.	16.5 lbs	15 in.	37.13 in.	4.45 lbs	-	-
										-
Fixed F.O.	Adjustable F.O.	Adjustable	5 lbs	14.1 in.	30 lbs	18.9 in.	44.75 in.	7.8 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	5 lbs	14.1 in.	30 lbs	18.9 in.	44.75 in.	7.8 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	5 lbs	14.1 in.	30 lbs	18.9 in.	44.75 in.	7.8 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	5 lbs	14.1 in.	30 lbs	18.9 in.	44.75 in.	7.8 lbs	-	-
Fixed	Adjustable	Adjustable	5 lbs	14.1 in.	40 lbs	19.5 in.	47.8 in.	8.9 lbs	-	-
Fixed	Adjustable	Adjustable	5 lbs	14.1 in.	40 lbs	19.5 in.	47.8 in.	8.9 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	5 lbs	14.1 in.	40 lbs	19.5 in.	47.8 in.	8.9 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	5 lbs	14.1 in.	40 lbs	19.5 in.	47.8 in.	8.9 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	7.5 lbs	14.5 in.	35 lbs	14.7 in.	44.7 in.	7.8 lbs	3-9x32 A0	Adjustable
Fixed F.O.	Adjustable F.O.	Non-adjustable	4.25 lbs	12 in.	16.5 lbs	15 in.	37.1 in.	4.45 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	4 lbs	14.6 in.	35 lbs	14.8 in.	44.8 in.	7.8 lbs	4x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	4 lbs	14.75 in.	20 lbs	18.5 in.	45 in.	8.6 lbs	4x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	5.5 lbs	14 in.	30 lbs	15.25 in.	44.75 in.	8.15 lbs	3-9x32	35 yds
-	-	Adjustable	3.2 lbs	14 in.	-	28 in.	46.3 in.	8.4 lbs	-	
-	-	Adjustable	3.2 lbs	14 in.	-	28 in.	46.3 in.	8.4 lbs	-	-
-	-	Adjustable	3.2 lbs	14 in.	-	28 in.	43 in.	8.4 lbs	-	-
-	-	Adjustable	3.2 lbs	14 in.	-	23.6 in.	43 in.	8.4 lbs	-	-
-	-	Non-adjustable	4 lbs	15 in.	-	29.5 in.	43.8 in.	8.5 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	5.4 lbs	14.5 in.	45 lbs	15.6 in.	48.6 in.	9.3 lbs	3-9x40 A0	Adjustable
Fixed F.O.	Adjustable F.O.	Adjustable	4.9 lbs	14.5 in.	45 lbs	15.6 in.	48.6 in.	9.2 lbs	3-9x40 A0	Adjustable
Fixed F.O.	Adjustable F.O.	Adjustable	4.75 lbs	15 in.	35 lbs	19 in.	45.25 in.	7 lbs	4x32	35 yds
-	-	Non-adjustable	-	-	-	-	<b>-</b>	-	3-9x40	-
Fixed F.O.	Adjustable F.O.	Non-adjustable	4 lbs	14.5 in.	20 lbs	19 in.	46.1 in.	8.85 lbs	4x32	35 yds
Fixed F.O.	Adjustable F.O.	Adjustable	5.5 lbs	14.5 in.	35 lbs	18.8 in.	46 in.	8.3 lbs	4x32	35 yds
-	-	Adjustable	2-7 lbs	14.5 in.	-	11.8 in.	42 in.	9.72 lbs	-	-
-	-	Adjustable	2.25-3 lbs	15 in.	-	12 in.	42.5 in.	9.4 lbs	-	-
-	-	Adjustable	3.5 lbs	14.25 in.	-	23.75 in.	41.5 in.	9.25 lbs	-	-
-	-	Adjustable	3.5 lbs	14.25 in.	-	23.75 in.	41.5 in.	9.25 lbs	-	-
-	-	Adjustable	<2 lbs	14 in.	-	19.75 in.	35.7 in.	8.9 lbs	-	-
-	-	Adjustable	<2 lbs	14 in.	-	19.75 in.	35.7 in.	8.9 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	2 lbs	14.5 in.	39 lbs	19.25 in.	48 in.	9.3 lbs	-	-
Fixed F.O.	Adjustable F.O.	Adjustable	2 lbs	14.5 in.	39 lbs	19.25 in.	48 in.	9.3 lbs	-	-
TINGUT.O.										
Fixed F.O.	Adjustable F.O.	Adjustable	2 lbs	14.25 in.	32 lbs	15.75 in.	44.25 in.	7.52 lbs	-	-
	Adjustable F.O.  Adjustable F.O.	Adjustable Adjustable	2 lbs 2 lbs	14.25 in. 14.25 in.	32 lbs 32 lbs	15.75 in. 15.75 in.	44.25 in. 44.25 in.	7.52 lbs 7.52 lbs	-	-

# NOTES:

# NOTES:

UMBREX. Z E R O E D I N



Item Number - 2100221 7700 Chad Colley Blvd. • Fort Smith, AR 72916 UmarexUSA.com • P: 479-646-4210 • F: 479-646-4206

Beretta', Browning', Colt', GLOCK", Hammerli', HK', Hornady', IWI, Ruger', RWS', Smith & Wesson', UZI', and Walther' are all trademarks used under license.

©2019 Umarex USA, Inc.

/eliteforceairsoft

- - /UmarexUSA
- - @umarexairguns

- @eliteforceairsoft
- /eliteforceguns
- /UmarexAir
  - - @eliteforceguns

- - /AxeonOptics
- - /OpticalDynamicsLight

- - @axeonoptics
- - @opticaldynamicslight